

Location Detail With Comments And Contacts

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address;

Location: 1623 Brewing Company **Location ID:** 4009933
Address: 5975 Exchange Dr Eldersburg, MD 21784-9261 **Phone:** 410-841-8795
County: Carroll **NOB/SIC:**
Primary Contact: 1623 Brewing Company
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Mike McKelvin, Owner - 5975 Exchange Dr Ste H Eldersburg, MD 21784-9262 - Phone: 410-259-5505 - Email: mikem@1623brewing.com
My Company Sent message to contact AIA for inspection
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166584H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000154848	154848	Columbia	2019	02/26/2022	Recurring Cert	Active	Boiler Room
MD166585V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000849195	941269	Morganton	2019	02/26/2022	Recurring Cert	Active	Rear Outside Pad
MD166586V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000329144	31933202	Chart Inc	2019	02/26/2022	Recurring Cert	Active	Rear Outside Pad
MD166587V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000329150	31933208	Chart Inc	2019	02/26/2022	Recurring Cert	Active	Rear Outside Pad

Total Objects at this location 4

Location: 7-Eleven - 18127 **Location ID:** 3181083
Address: 2033 Liberty Rd Sykesville, MD 21784-6625 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: 7-Eleven - 18127
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Cert Contact:

Owner Contact: Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Other Contact(s): Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com
Mark Anderson - 12800 Saddleseat PI Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com

My Company Comments: 7-Eleven #3181083 MD144355V certificate issued. S. Reynolds 2-12-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144355V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010392		Taylor-Wharton	1992	11/09/2021	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: 7-Eleven - 28924

Address: 4213 Ridge Rd Westminster, MD 21157-7848

County: Carroll

Primary Contact: Kent Nay, Regional Facilities Manager - Phone: 703-286-9540 - Email: knay01@7-11.com

Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Cert Contact: 7-Eleven - 28924 - 4213 Ridge Rd Westminster, MD 21157-7848

Owner Contact: Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Other Contact(s): 7-Eleven - 28924 - 4213 Ridge Rd Westminster, MD 21157-7848

Kent Nay, Regional Facilities Manager - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Mark Anderson - 12800 Saddleseat PI Richmond, VA 23233-7687 - Phone: 804-364-8990 - Email: AmerBoiler@aol.com

Location ID: 3184860

Phone:

NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144406V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020113		Taylor-Wharton	1994	04/05/2022	Recurring Cert	Active	Store Room

Total Objects at this location 1

Location: 710710 Penske Truck Leasing
Address: 1301 Avondale Rd, Suite L New Windsor, MD 21776-8952
County: Carroll

Location ID: 2684507
Phone:
NOB/SIC:

Primary Contact: Scott Pingley, District Service Manager - Phone: 304-261-7995 - Cell: 410-779-8013 - Email: scott.pingley@penske.com
Billing Contact: Penske Truck Leasing - 1711 Wicomico St Baltimore, MD 21230-1706 - Phone: 410-727-7023
Cert Contact: Scott Pingley, District Service Manager - 1711 Wicomico St Baltimore, MD 21230-1706 - Phone: 304-261-7995 - Cell: 410-779-8013 - Email: scott.pingley@penske.com
Owner Contact: Penske Truck Leasing - 1711 Wicomico St Baltimore, MD 21230-1706 - Phone: 410-727-7023
Other Contact(s): Fredrick Ramsahoye, Maintenance Supervisor - 1301 Avondale Rd Suite L New Windsor, MD 21776-8952 - Phone: 410-386-0451 - Cell: 240-439-0697 - Email: fredrick.ramshoye@penske.com
Kevin GONE - OLD CONTACT - Sutera - 1301 Avondale Rd New Windsor, MD 21776-8952 - Phone: 410-386-0452
Kevin GONE - OLD CONTACT -Ean, Supervisor - 1301 Avondale Rd New Windsor, MD 21776-8952 - Phone: 410-386-0457
Paul Detello, Lead Tech - 1301 Avondale Rd, Suite L New Windsor, MD 21776-8952 - Phone: 410-386-0452
Penske Truck Leasing - 1711 Wicomico St Baltimore, MD 21230-1706 - Phone: 410-727-7023
Scott Pingley, District Service Manager - 1711 Wicomico St Baltimore, MD 21230-1706 - Phone: 304-261-7995 - Cell: 410-779-8013 - Email: scott.pingley@penske.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167027V	Kaeser SM-10	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000070791	102492	B W B D-89331 Burgau	2019	04/14/2022	Recurring Cert	Active	Garage, Kaeser SM-10

Total Objects at this location 1

Location: A Coyote Manufacturing
Address: 1201 New Windsor Rd Westminster, MD 21158-6704
County: Carroll

Location ID: 3918764
Phone:
NOB/SIC:

Primary Contact: Kelly Raiser, Owner & Gen Mgr - Phone: 301-424-1005 - Cell: 202-329-4919 - Email: kelly@acoyotemanufacturing.com
Billing Contact: A Coyote Manufacturing - 1201 New Windsor Rd Westminster, MD 21158-6704 - Phone: 301-424-1005
Cert Contact: A Coyote Manufacturing - 1201 New Windsor Rd Westminster, MD 21158-6704 - Phone: 301-424-1005
Owner Contact: A Coyote Manufacturing - 1201 New Windsor Rd Westminster, MD 21158-6704 - Phone: 301-424-1005
Other Contact(s): A Coyote Manufacturing - 1201 New Windsor Rd Westminster, MD 21158-6704 - Phone: 301-424-1005
Kelly Raiser, Owner & Gen Mgr - 1201 New Windsor Rd Westminster, MD 21158-6704 - Phone: 301-424-1005 - Cell: 202-329-4919 - Email: kelly@acoyotemanufacturing.com

**My Company
Comments:** From: acoyotemanufacturing.com :: We are a full service, USDA certified organic manufacturer of USA-made animal treats for private label brands..... From email 3/20/19: Kelly Raiser, co-owner & Gen Mgr, A. Coyote Mfrg, 410-871-1005 ext 10..... From email 3/21/19: Kelly Raiser, Max & Ruffy's, (Pet supply store

in Carroll Co MD), 1201 New Windsor Rd, Westminster, MD 21158, 202-329-4919 cell, 301-424-1005 office.....

Location called to state and said that they just received the citation letter. The green card is still attached. No one signed for the letter. The objects were under repair.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162104H		Vertical Fire Tube	H - Heating-Cooking (Steam <= 15 psig)	000021967	21967	VPI Precision Holdings	2018	12/26/2020	Recurring Cert	Active	The Water Room
MD162105H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	71138	16WHTX.1130.225	AIC GDXNIA	2018	12/31/2020	Recurring Cert	Active	Dry Processing
Total Objects at this location					2						

Location: A E C S, Inc. **Location ID:** 701922
Address: 4033 Lineboro Rd Manchester, MD 21102-3149 **Phone:** 410-239-4201
County: Carroll **NOB/SIC:**
Primary Contact: Chris Shook - Phone: 410-239-4201 - Email: aeconsinc@yahoo.com
Billing Contact: A E C S Inc - PO Box 858 Manchester, MD 21102-0858 - Phone: 410-239-4201 - Email: cps365@verizon.net
Cert Contact: A E C S Inc - PO Box 858 Manchester, MD 21102-0858 - Phone: 410-239-4201 - Email: cps365@verizon.net
Owner Contact: Chris Shook - PO Box 858 Manchester, MD 21102-0858 - Phone: 410-239-4201 - Email: aeconsinc@yahoo.com
Other Contact(s): A E C S Inc - PO Box 858 Manchester, MD 21102-0858 - Phone: 410-239-4201 - Email: cps365@verizon.net
Chris Shook - PO Box 858 Manchester, MD 21102-0858 - Phone: 410-239-4201 - Email: aeconsinc@yahoo.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091093V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000489987		Kargard	1970	01/12/2022	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: A T & T
Address: 2021 Suffolk Rd Finksburg, MD 21048-1630
County: Carroll
Primary Contact: A T & T - Phone: (301) 865-3823
Billing Contact: A T & T - 2021 Suffolk Rd Finksburg, MD 21048-1630 - Phone: (301) 865-3823
Cert Contact: A T & T - 2021 Suffolk Rd Finksburg, MD 21048-1630 - Phone: (301) 865-3823
Owner Contact:
Other Contact(s): A T & T - 2021 Suffolk Rd Finksburg, MD 21048-1630 - Phone: (301) 865-3823
 Lucent Technologies Inc - 225 Schilling Cir Hunt Valley, MD 21031-1102 - Phone: 410-584-6491

Location ID: 703278
Phone:
NOB/SIC:

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037306V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0019236	319236	Kargard	1968	04/28/2020	Recurring Cert	Active	OO Level A-C Rm
MD037307V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0319192		Kargard	1968	04/28/2020	Recurring Cert	Active	OO Level A-C Rm
MD114027V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0553731		Manchester	1999	04/28/2020	Recurring Cert	Active	00 Level

Total Objects at this location 3

Location: Aberts Automotive
Address: 3033 Long Ln Manchester, MD 21102-1939
County: Carroll
Primary Contact: Carol Aberts, Office Manager - Phone: (410) 374-9525 - Email: caberts1@cs.com
Billing Contact: Carol Aberts - 3033 Long Ln Manchester, MD 21102-1939 - Phone: (410) 374-9525 - Email: caberts1@cs.com
Cert Contact: Carol Aberts, Office Manager - 3033 Long Ln Manchester, MD 21102-1939 - Phone: (410) 374-9525 - Email: caberts1@cs.com
Owner Contact: Luther Aberts - 3033 Long Ln Manchester, MD 21102-1939 - Phone: 410-374-9525 - Cell: 410-239-4433
Other Contact(s): 3033 Long Lane, LLC. - 3033 Long Ln Manchester, MD 21102-1939 - Phone: 410-374-9525

Location ID: 702025
Phone: 410-239-4433
NOB/SIC:

Carol Aberts, Office Manager - 3033 Long Ln Manchester, MD 21102-1939 - Phone: (410) 374-9525 - Email: caberts1@cs.com
 Dirk Smith, Ops VP Eng - 1200 Atwater Dr Ste 250 Malvern, PA 19355-8793 - Phone: 610-407-7826 - Email: dirk.smith@mutualboilerre.com
 Frances DiNardo - 1200 Atwater Dr Ste 250 Malvern, PA 19355-8793 - Phone: 800-814-4458 x 7807 - Email: Frances.DiNardo@mutualboilerre.com
 Luther Aberts - 3033 Long Ln Manchester, MD 21102-1939 - Phone: 410-374-9525 - Cell: 410-239-4433

My Company

Comments:

My Shared

Comments:

Scheduled inspection 4/5/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109393V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000955950		Melben	2001	03/03/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: **Advanced Vacuum Co Inc** **Location ID:** 1994683
Address: 1215 Business Pkwy N Westminster, MD 21157-3020 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: John Brenneman - Phone: 410 876 8200 - Email: john@advaco.com
Billing Contact: John Brenneman - 1215 Business Pkwy N Westminster, MD 21157-3020 - Phone: 410 876 8200 - Email: john@advaco.com
Cert Contact: John Brenneman - 1215 Business Pkwy N Westminster, MD 21157-3020 - Phone: 410 876 8200 - Email: john@advaco.com
Owner Contact: John Brenneman - 1215 Business Pkwy N Westminster, MD 21157-3020 - Phone: 410 876 8200 - Email: john@advaco.com
Other Contact(s): John Brenneman - 1215 Business Pkwy N Westminster, MD 21157-3020 - Phone: 410 876 8200 - Email: john@advaco.com

My Company Advanced Vacuun #1994683
Comments: MD126613V inactive
 MD150498V certificate issued
 MD163713V certificate issued S. Reynolds 4/10/19

My Shared
Comments: Insparisk inspected 3/19/13, copy of receipt via email. NB418477 removed(MD126614V), MD126613V inservice, reports not entered.
 Scheduled 3/19/13, Insparisk per John Brenneman via email 3/12/13.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000704123		Steel Fab	2012	03/18/2021	Recurring Cert	Active	SHOP ASSEMBLY
MD163713V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000873273		Steel Fab	2018	04/10/2021	Recurring Cert	Active	Shop

Location: American Legion Post #31 **Location ID:** 702658
Address: 2 Sycamore Street Westminster, MD 21157-5216 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: American Legion Post #31 - Phone: 410-857-7953
Billing Contact: American Legion Post #31 - 2 Sycamore St Westminster, MD 21157-5216 - Phone: 410-857-7953
Cert Contact: American Legion Post #31 - 2 Sycamore St Westminster, MD 21157-5216 - Phone: 410-857-7953
Owner Contact: American Legion Post #31 - 2 Sycamore St Westminster, MD 21157-5216 - Phone: 410-857-7953
Other Contact(s): American Legion Post #31 - 2 Sycamore St Westminster, MD 21157-5216 - Phone: 410-857-7953

My Company Comments: A bill from Holtzople Heating and Air Conditioning faxed in as proof of inspection. Called location and was given Bill Raines name as contact. 443-605-2094. Mac Inspections performed the last inspection.
AIA - Holtzople
Tiffany
P O Box 267
16424 Old Frederick Rd
Emmitsburg, MD 21727

Biil Raines called, he said he thought the company was authorized. MAC performed the lat inspection, I gave him the number. Told him to check with insurance company first. He will get inspection done ASAP.
Greetings Ladies, I received a call from Jody of American Legion Post 31 in Westminster, their inspection was due on 9/19/15. Someone else within their organization actually had a company come to complete the inspection, unfortunately they were not an Authorized Inspection Agency. We are scheduled to complete the inspection on Wednesday, 11/25/15. We will submit the inspection report once completed. Michael Coleman
Inspection Scheduled - LOC 702658
Inbox
x

MAC Inspection & Welding Agency
Tue, Jan 14, 12:19 PM (20 hours ago)
to MD, me, solarcl1765, carolpost31

Good morning all, I was contacted by the American Legion Post #31(cc'd in this email) to schedule the inspection of their boiler which was due by 11/25/19. Their inspection is scheduled for this Thursday, 1/16/20. We will input their reports as soon as possible. Thank you.

Best regards,

Deborah Coleman, Contract Specialist

Mailed cert today.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062410H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	12004040	Burnham	1977	11/25/2021	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Arbys
Address: 3004 Gamber Rd Finksburg, MD 21048
County: Carroll
Primary Contact: Arbys
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3628773
Phone:
NOB/SIC:

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154558V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000163549		CHART	2005	06/07/2022	Recurring Cert	Active	soda rack
Total Objects at this location					1						

Location: Auto Correct Car Care
Address: 2924 Baltimore Blvd Finksburg, MD 21048-1815
County: Carroll
Primary Contact: Thomas Smith - Phone: 443--522-2047 - Email: tom@autocorrectcarcare.com
Billing Contact: Thomas Smith - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 443--522-2047 - Email: tom@autocorrectcarcare.com
Cert Contact: Thomas Smith - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 443--522-2047 - Email: tom@autocorrectcarcare.com
Owner Contact: Thomas Smith - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 443--522-2047 - Email: tom@autocorrectcarcare.com
Other Contact(s): B & H Truck Tire & Auto Service - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 4108337900

Location ID: 703466
Phone: 443-522-2047
NOB/SIC:

Bill Evans, Owner - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 410-833-7900

Thomas Smith - 2924 Baltimore Blvd Finksburg, MD 21048-1815 - Phone: 443--522-2047 - Email: tom@autocorrectcarcare.com

My Company

Comments:

My Shared

Comments: contact info verified with bill evans. k2
HSB 3/17/15, contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048741V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013075		PST	1960	03/17/2021	Recurring Cert	Active	TIRE STORAGE
Total Objects at this location					1						

Location: **Basta Pasta (Arc3)** **Location ID:** 4002051
Address: 5957 Exchange Dr Sykesville, MD 21784-9259 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Basta Pasta (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166251V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000230511		CHART	2012	12/09/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: **Baughers Bakery** **Location ID:** 989639
Address: 1015 Baugher Rd Westminster, MD 21158-3601 **Phone:** 410-857-0112
County: Carroll **NOB/SIC:**
Primary Contact: Marjorie Baugher, Treasurer - Phone: 410-857-0112 - Email: orchardgirl21158@yahoo.com

Billing Contact: Marjorie Baugher - 1236 Baugher Rd Westminster, MD 21158-3604 - Phone: 410-857-0112 - Email: orchardgirl21158@yahoo.com
Cert Contact: Marjorie Baugher, Treasurer - 1236 Baugher Rd Westminster, MD 21158-3604 - Phone: 410-857-0112 - Email: orchardgirl21158@yahoo.com
Owner Contact: Marjorie Baugher, Treasurer - 1236 Baugher Rd Westminster, MD 21158-3604 - Phone: 410-857-0112 - Email: orchardgirl21158@yahoo.com
Other Contact(s): Baughers Bakery - 1236 Baugher Rd Westminster, MD 21158-3604 - Phone: 717 339 0055
 Marjorie Baugher, Treasurer - 1236 Baugher Rd Westminster, MD 21158-3604 - Phone: 410-857-0112 - Email: orchardgirl21158@yahoo.com

My Company Comments: Baughers #989639
 MD146376H certificate issued
 The actual location address for this boiler is 1015 Baugher Rd. The billing address remains the same. Reynolds 3/14/2018

My Shared Comments: Got a message from Sue that Debbie Ruby had called about an inspection at Baughers. I called Ms. Ruby back. She states that she works with the company that does the plumbing work for Baughers & she is certain that American Boiler Inspection services inspected them last year. I advised her to follow up with American Boiler as we have no record of that and because of that they are now subject to citation. She said she knew they were on there "Final Notice" so apparently they did receive a citation letter.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146376H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2010	03/07/2022	Recurring Cert	Active	Bakery Blrm
Total Objects at this location					1						

Location: Baughers Restaurant **Location ID:** 703966
Address: 289 W Main St Westminster, MD 21158-4311 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Harold Stultz, Manager - Phone: 410 596 4431 - Email: orchardgirl21158@yahoo.com
Billing Contact: Allen Baugher - 289 W Main St Westminster, MD 21158-4311 - Phone: 410 848 5541
Cert Contact: Allen Baugher, President - 289 W Main St Westminster, MD 21158-4311 - Phone: 410 848 5541
Owner Contact: Allen Baugher, President - 289 W Main St Westminster, MD 21158-4311 - Phone: 410 848 5541
Other Contact(s): Allen Baugher, President - 289 W Main St Westminster, MD 21158-4311 - Phone: 410 848 5541
 Harold Stultz, Manager - 289 W Main St Westminster, MD 21158-4311 - Phone: 410 596 4431 - Email: orchardgirl21158@yahoo.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125656H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000171081		Lochinvar	2004	03/13/2021	Recurring Cert	Active	Basement
MD146377H		Cast Iron	H - Hot Water Supply (Water	000076055	020986	Burnham	2010	03/13/2021	Recurring Cert	Active	Basement

MD146378H	Cast Iron	<= 160 psig, 210 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000101924	042505	Burnham	2010	03/13/2021	Recurring Cert	Active	Basement
-----------	-----------	--	-----------	--------	---------	------	------------	----------------	--------	----------

Total Objects at this location 3

Location: Belissimo's (Arc3) **Location ID:** 4006482
Address: 2900 Baltimore Blvd Finksburg, MD 21048-1815 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Belissimo's (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166622V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000163790		CHART	2005	01/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Best Western **Location ID:** 704442
Address: 451 Western Maryland College Dr Westminster, MD 21157-4336 **Phone:** 410-857-1900
County: Carroll **NOB/SIC:**
Primary Contact: Cammy Hipp, General Manager - Phone: 410-857-1900 x360 - Cell: 301-876-0010
Billing Contact: Thierry Bompard - 451 Western MD College Dr Westminster, MD 21157 - Phone: 410-857-1900 x360 - Email: lodi@comcast.net
Cert Contact: Cammy Hipp, General Manager - 451 Western MD College Dr Westminster, MD 21157 - Phone: 410-857-1900 x360 - Cell: 301-876-0010
Owner Contact: Thierry Bompard - 451 Western MD College Dr Westminster, MD 21157 - Phone: 410-857-1900 x360 - Email: lodi@comcast.net
Other Contact(s): Cammy Hipp, General Manager - 451 Western MD College Dr Westminster, MD 21157 - Phone: 410-857-1900 x360 - Cell: 301-876-0010
 Marshall Management - Rt 2 Box 214 - Naylor Mill Rd Salisbury, MD 21801 - Phone: 0000000000
 Thierry Bompard - 451 Western MD College Dr Westminster, MD 21157 - Phone: 410-857-1900 x360 - Email: lodi@comcast.net

My Company Owner update.

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130038H		Water Heater (HLW)	H - Heating-Cooking (Steam <= 15 psig)	000101015	101015	Cleveland Range	1992	09/09/2022	Recurring Cert	Active	Kitchen
Total Objects at this location					1						

Location: Bill Derr Engine (Model)/Leakin Park

Address: 207 Clubside Dr Taneytown, MD 21787-1564

County: Carroll

Primary Contact: Bill Derr, Owner - Phone: 410-756-2248 - Email: bill4227@gmail.com

Billing Contact: Bill Derr - 207 Clubside Dr Taneytown, MD 21787-1564 - Phone: 410-756-2248 - Email: bill4227@gmail.com

Cert Contact: Bill Derr, Owner - 207 Clubside Dr Taneytown, MD 21787-1564 - Phone: 410-756-2248 - Email: bill4227@gmail.com

Owner Contact: Bill Derr, Owner - 207 Clubside Dr Taneytown, MD 21787-1564 - Phone: 410-756-2248 - Email: bill4227@gmail.com

Other Contact(s): Bill Derr, Owner - 207 Clubside Dr Taneytown, MD 21787-1564 - Phone: 410-756-2248 - Email: bill4227@gmail.com
Paul Seyfrit, Secretary - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309 - Email: seyfritp@verizon.net
Richard Steffe - 35690 Aviation Yacht Club Rd Mechanicsville, MD 20659-5911
Steve Van Scoyk - 207 Clubside Dr Taneytown, MD 21787-1564 - Phone: 410-756-2248

Location ID: 706741

Phone: 410-756-2248

NOB/SIC:

My Company Comments: I received my boiler inspection notice that a boiler is due. The reverse page has incorrect information. See attached. In all cases the email address is incorrect. It should read: bill4227@gmail.com

The mentioned boiler is scheduled for inspection on April 7, 2017 at John Tokar's in Union Bridge, MD.

Please note that I will be bringing a NEW boiler also for a number and inspection at that time. I have paperwork from the boiler maker, pictures and boiler calculations as well as a builder's drawing.

Raw pictures and test information from the builder is attached.

If you or I need anything else or I need to fill out any additional forms mail or email them to me.

Thanks,

Bill Derr
207 Clubside Dr
Taneytown, MD 21787
410-756-2248
bill4227@gmail.com

MD017686: Model Steam Boiler; Coal; put on show again(04/04/2014)...; Per email from Bill Derr 5/18/2015, RE: CitationWarning. In April 2014 this model railroad engine was submitted to inspection to see if it would pass before a final rebuild. It did pass. However, since the rebuild is not complete and it has not been fired since then, it was not resubmitted for inspection in 2015 and will not be until the rebuild is complete...; Per email from Bill Derr to ESamm 5/24/2016, he sold MD017686 to Mike Walsh, 2012 Gladiator Dr, Fenton MO 63026...;

My Shared Comments:

Bill Derr called, he received the cert for MD017686(CED 4/3/16). MD017815 was inspected (CED4/4/15). Q. Ahmad inspected will contact him. Qamar entered inspection for wrong object. Voiding invoice 107619 and applying check to new invoice.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017815		Horizontal Fire Tube	M - Model w/comment	Model	1336	Morewood	1987	03/15/2021	Recurring Cert	Active	Portable
MD157213		Vertical Fire Tube	M - Model w/comment	Model		Ridge Locomotive Works	2016	04/09/2021	Recurring Cert	Active	Portable
MD160307		Horizontal Fire Tube	M - Model w/comment	Model		Home Built	2018	04/07/2021	Recurring Cert	Active	Portable
Total Objects at this location					3						

Location: Brinton Woods Nursing & Rehab Ctr

Address: 1442 Buckhorn Rd Sykesville, MD 21784-9303

County: Carroll

Primary Contact: James Eichelberger, Maintenance Director - Phone: 410-795-7169 - Cell: 304-620-1161 - Email: jeichelberger@brintonwoods.com

Billing Contact:

Cert Contact: James Eichelberger, Maintenance Director - 1442 Buckhorn Rd Sykesville, MD 21784-9303 - Phone: 410-795-7169 - Cell: 304-620-1161 - Email: jeichelberger@brintonwoods.com

Owner Contact:

Other Contact(s): Brinton Woods Nursing & Rehab Ctr - 1442 Buckhorn Rd Sykesville, MD 21784-9303 - Phone: 410-795-2737

Gary Czapski, Administrator - 1442 Buckhorn Rd Sykesville, MD 21784-9303 - Phone: 410-795-2737 - Email: gczapski@brintonwoods.com

James Eichelberger, Maintenance Director - 1442 Buckhorn Rd Sykesville, MD 21784-9303 - Phone: 410-795-7169 - Cell: 304-620-1161 - Email: jeichelberger@brintonwoods.com

My Company Comments: S. Reynolds verified MD1411469H has the NB#22100.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063840H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB		Peerless	1984	02/03/2022	Recurring Cert	Active	Boiler Room
MD076049H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1989	02/03/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Brown's V-Twin Cycle Repair, LLC.
Address: 480 Goldenrod Ter Westminster, MD 21157-3848
County: Carroll

Location ID: 703352
Phone: 410-386-0177
NOB/SIC:

Primary Contact: Brown's V-Twin Cycle Repair, LLC. - Phone: 301-386-0177
Billing Contact: Tomarchio Enterprises, LLC. - PO Box 55 Glenelg, MD 21737-0055 - Phone: 410-861-8320
Cert Contact: Brown's V-Twin Cycle Repair, LLC. - 480 Goldenrod Ter Westminster, MD 21157-3848 - Phone: 301-386-0177
Owner Contact: Tomarchio Enterprises, LLC. - PO Box 55 Glenelg, MD 21737-0055 - Phone: 410-861-8320
Other Contact(s): Auto Collision Experts - 480 Goldenrod Terrace Unit B Westminster, MD 21157 - Phone: 4108577400
Auto Collision Experts, Inc. - 5239 Byerly Rd Upperco, MD 21155-9505
Auto Fix Collision Repair Center - 480 Goldenrod Ter Westminster, MD 21157-3848 - Phone: 410-861-5068
Brown's V-Twin Cycle Repair, LLC. - 480 Goldenrod Ter Westminster, MD 21157-3848 - Phone: 301-386-0177
Tomarchio Enterprises, LLC. - PO Box 55 Glenelg, MD 21737-0055 - Phone: 410-861-8320

My Company

Comments: Citations bpv -DLLR-
9:03 AM (2 minutes ago)
to donna

Good morning,

The citation was generated on May 7, 2019, which no one responded to. The object was inspected on 6/12/19 by a state inspector and Tomarchio Enterprises, LLC. paid for the inspection invoice. If the business moved but the object is still at the property, the lessor would then be liable for the citation. Contact the tenant for the repayment of the citation.

Regards-

Citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
Attachments
Aug 2, 2019, 10:15 AM
to donna

Good morning,

The compressor at this location was due for an inspection 11/17/16. Several notices were sent to the location prior to the citation was issued. The citation was received 5/15/19, someone in your organization, however, no one responded to the citation. Since there was no response. The citation was invoiced at the full penalty because the inspection was overdue and there was no communication.

donna schaefer
Sep 30, 2019, 4:47 PM (16 hours ago)
to me

Good Afternoon,

This air compressor was the tenants responsibility not the landlord. The notices were sent to the address of the tenant , who moved out without notice. Please redirect this citation to the ex owner of the space. Thank you for your time.

Donna

Location 703352 , MD111283 will need to be rescheduled soon. I was able to see the vessel outside but no one was at location or new I was coming. Vessel was not disconnected as claimed. Will need to schedule appointment with jo contact. 410-596-4496 - John Morris called, they received a bill from CCU for \$292.50. The business moved from the locations months ago. This bill should have gone to the owner at PO box 55, Glenelg, Md. 21737 and the phone number is 410-861-8320. I am updating the contact info and reissuing the BPV letter. Google lists the PO Box 55 as Tomarchio Enterprises, LLC. Invoice # 111543 Citation

donna schaefer <donna.tomarchio3000@gmail.com>
Jul 29, 2019, 11:33 AM
to me

Good Morning,

I am writing in regards to the above referenced invoice citation. We received a certificate of registration and inspection dated 6/12/19 in reference to the above citation for the boiler pressure vessel. I am confused why we received this citation?

Your help is greatly appreciated.

Donna

--
Donna Schaefer
Bookkeeper
Tomarchio Enterprises LLC
(P) 410-861-8320
John Norris stated MAC inspection will inspect on 11/17 th
Location name and contact update.
MAC inspections inspection is completed and good
This is confirmed with Judy Walters 443 829 4636
as a disconnect, Kevin Rice to visit the site on 1/14/19
Mrs. Walters stated previous occupant vacated the
site several months ago.

**My Shared
Comments:**

BPV form returned, labeled with forwarding address. Updating and resending.
Business occupying space is Brown's Motorcycle. Vessel is still in use.
Found location on Google Maps. Renamed "Auto Fix Collision Repair Center" and removed "Unit B". Sending info to April at CCU.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD111283V Horizontal V - Storage 000060450 Dresser 1983 06/12/2021 Recurring Cert Active Comp Shed
Unfired
Pressure
Vessel
w/comment

Total Objects at this location 1

Location: **Buckingham Auto Repair Inc.** **Location ID:** 718488
Address: 203 E Main St Westminster, MD 21157-5227 **Phone:** 410-857-1467
County: Carroll **NOB/SIC:**
Primary Contact: Dennis Buckingham - Phone: 410-857-5578/410-857-1467 - Email: buckinghamauto@veerizon.net
Billing Contact: Dennis Buckingham - 203 E Main St Westminster, MD 21157-5227 - Phone: 410-857-5578/410-857-1467 - Email: buckinghamauto@veerizon.net
Cert Contact: Dennis Buckingham - 203 E Main St Westminster, MD 21157-5227 - Phone: 410-857-5578/410-857-1467 - Email: buckinghamauto@veerizon.net
Owner Contact: Dennis Buckingham - 203 E Main St Westminster, MD 21157-5227 - Phone: 410-857-5578/410-857-1467 - Email: buckinghamauto@veerizon.net
Other Contact(s): Dennis Buckingham - 203 E Main St Westminster, MD 21157-5227 - Phone: 410-857-5578/410-857-1467 - Email: buckinghamauto@veerizon.net

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134080V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010035	13987	AIR COM	2006	11/25/2021	Recurring Cert	Active	Rear Shop

Total Objects at this location 1

Location: **Buffalo Wild Wings - 3257 (Arc3)** **Location ID:** 4006546
Address: 404 Englar Rd Westminster, MD 21157-4852 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Buffalo Wild Wings - 3257 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company
Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166310V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166241		CHART	2005	01/28/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: C & C Cleaners **Location ID:** 2212068
Address: 721 Hanover Pike Hampstead, MD 21074-2033 **Phone:** 410-239-6939
County: Carroll **NOB/SIC:**
Primary Contact: Charley Pak, Owner - Phone: 410- 239-6939 - Cell: 443-834-2740
Billing Contact: Charley Pak - 721 Hanover Pike Hampstead, MD 21074-2033 - Phone: 410- 239-6939 - Cell: 443-834-2740
Cert Contact: Charley Pak, Owner - 721 Hanover Pike Hampstead, MD 21074-2033 - Phone: 410- 239-6939 - Cell: 443-834-2740
Owner Contact: Charley Pak, Owner - 721 Hanover Pike Hampstead, MD 21074-2033 - Phone: 410- 239-6939 - Cell: 443-834-2740
Other Contact(s): Charley Pak, Owner - 721 Hanover Pike Hampstead, MD 21074-2033 - Phone: 410- 239-6939 - Cell: 443-834-2740

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD030760V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000397288		John Wood Company	1968	07/16/2021	Recurring Cert	Active	Boiler Room
MD127662		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000104048	104048	Fulton	2007	11/07/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: Caltriders Garage Inc **Location ID:** 705658
Address: 2900 Hanover Pk Manchester, MD 21102-1921 **Phone:** 410-239-3444
County: Carroll **NOB/SIC:**
Primary Contact: David Cultriders - Phone: 410-239-3444
Billing Contact: David Cultriders - 2900 Hanover Pike P O Box 718 Manchester, MD 21102-1921 - Phone: 410-239-3444
Cert Contact: David Cultriders - 2900 Hanover Pike P O Box 718 Manchester, MD 21102-1921 - Phone: 410-239-3444

Owner Contact:**Other Contact(s):** David Cultriders - 2900 Hanover Pike - P O Box 718 Manchester, MD 21102-1921 - Phone: 410-239-3444**My Company****Comments:****My Shared****Comments:**

Inspected by Hartford 12/10/12, reports in not entered in JO.
Spoke with Dave. He is getting in touch with his insurance company (Erie) to call HSB to inspect

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110763V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000691209		Kargard	1976	01/30/2021	Recurring Cert	Active	COMP SHED
MD110764V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000132090		Steel Products	1995	01/30/2021	Recurring Cert	Active	Body Shop Shed
MD161887V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000600452		Morganton	2016	12/20/2020	Recurring Cert	Active	COMP SHED Behind body shop
Total Objects at this location					3						

Location: **Calvary Bible Church** **Location ID:** 705718
Address: 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 **Phone:** 410-848-1848
County: Carroll **NOB/SIC:**
Primary Contact: Calvary Bible Church - Phone: 410-848-1848
Billing Contact: Calvary Bible Church - 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 - Phone: 410-848-1848
Cert Contact: Calvary Bible Church - 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 - Phone: 410-848-1848
Owner Contact: Matt Floyd, Pastor - 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 - Phone: 641-223-1160/410-848-1848 - Email: Pmattfloyd@gmail.com
Other Contact(s): Calvary Bible Church - 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 - Phone: 410-848-1848
 Matt Floyd, Pastor - 2447 Hampstead Mexico Rd Westminster, MD 21157-3943 - Phone: 641-223-1160/410-848-1848 - Email: Pmattfloyd@gmail.com

My Company**Comments:****My Shared****Comments:**

Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149857H		Cast Iron	H - Hot Water	CI		Viessman	2013	09/01/2020	Recurring Cert	Active	BLRM

Heat (Water <= 160 psig, 250 F)

Total Objects at this location 1

Location: Caples Car Care **Location ID:** 4024464
Address: 10 Sullivan Rd Westminster, MD 21157-4631 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Debbie Caples - Phone: 410-848-0748 option 4 - Email: Debbie@caplescarcare.com
Billing Contact: Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-4631
Cert Contact: Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-4631
Owner Contact: Debbie Caples - 10 Sullivan Rd Westminster, MD 21157-4631 - Phone: 410-848-0748 option 4 - Email: Debbie@caplescarcare.com
Other Contact(s): Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-4631
Debbie Caples - 10 Sullivan Rd Westminster, MD 21157-4631 - Phone: 410-848-0748 option 4 - Email: Debbie@caplescarcare.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167028V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001498319		Manchester	2014	06/16/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: Caples Car Care **Location ID:** 4024460
Address: 150 Airport Dr Unit 12 Westminster, MD 21157-3006 **Phone:** 443-201-9799
County: Carroll **NOB/SIC:**
Primary Contact: Caples Car Care
Billing Contact: Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-3006
Cert Contact: Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-3006
Owner Contact: Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-3006
Other Contact(s): Caples Car Care - 10 Sullivan Rd Westminster, MD 21157-3006
Debbie Caples - 10 Sullivan Rd Westminster, MD 21157-3006 - Phone: 410-848-0748 option 4 - Email: Debbie@caplescarcare.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167029V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000814544		Steel Products	2020	06/16/2022	Recurring Cert	Active	Mezzanine

Total Objects at this location 1

Location: Caples Car Care **Location ID:** 718494
Address: 97 S Cranberry Rd Westminster, MD 21157-5101 **Phone:** 410-848-0748
County: Carroll **NOB/SIC:**
Primary Contact: Don Caples, Owner - Phone: 410-848-0748 x3 - Email: service@caplescarcare.com
Billing Contact: Debbie Caples - 10 Sullivan Rd Westminster, MD 21157-4631 - Phone: 410-848-0748 opt. 4 - Email: accounting@caplescarcare.com
Cert Contact: Debbie Caples, Office Mgr. - 10 Sullivan Rd Westminster, MD 21157-4631 - Phone: 410-848-0748 opt. 4 - Email: accounting@caplescarcare.com
Owner Contact: Don Caples, Owner - 97 S Cranberry Rd Westminster, MD 21157-5101 - Phone: 410-848-0748 x3 - Email: service@caplescarcare.com
Other Contact(s): Carrie Mankin - 6557 Baltimore National Pike Baltimore, MD 21228-3906 - Phone: 410-744-2975
Debbie Caples, Office Mgr. - 10 Sullivan Rd Westminster, MD 21157-4631 - Phone: 410-848-0748 opt. 4 - Email: accounting@caplescarcare.com
Don Caples, Owner - 97 S Cranberry Rd Westminster, MD 21157-5101 - Phone: 410-848-0748 x3 - Email: service@caplescarcare.com
Mark Speakman - 97 S Cranberry Rd Westminster, MD 21157-5101 - Phone: 410 876 3366

My Company Comments: Location name and contact update.
Midas #718494
MD110788V certificate issued Reynolds 4/11/2018

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110788V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000929261		Buckeye	1989	03/17/2022	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: Care Cleaners **Location ID:** 705969
Address: 444 Wmc Dr Ste 108 Westminster, MD 21158-4337 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Hae Kyun Park - Phone: 410-876-4727 - Email: parkhome10203@gmail.com
Billing Contact: Hae Kyun Park - 444 Wmc Dr Westminster, MD 21158-4337 - Phone: 410-876-4727 - Email: parkhome10203@gmail.com
Cert Contact: Hae Kyun Park - 444 Wmc Dr Westminster, MD 21158-4337 - Phone: 410-876-4727 - Email: parkhome10203@gmail.com

Owner Contact: Hae Kyun Park - 444 Wmc Dr Westminster, MD 21158-4337 - Phone: 410-876-4727 - Email: parkhome10203@gmail.com
Other Contact(s): Hae Kyun Park - 444 Wmc Dr Westminster, MD 21158-4337 - Phone: 410-876-4727 - Email: parkhome10203@gmail.com
 Mi Soon Park - 444 Wmc Dr Westminster, MD 21158-4337 - Phone: 410-876-4727/410-564-4034 - Email: parkhome10203@gmart.com

My Company Comments: Customer called and stated HSB inspected as of 3/20/17

My Shared Comments: HSB inspector called. Object MD132190 not found on site, owner reported as being scrapped & said they had replaced it with a used boiler of unknown origin. A search by NB number revealed the object to be MD122173 inactive from a different location (712177). Confirmed using manufacturer & year. Object needs to be retagged. I did move it to it's new location.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155672H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000121374		Fulton	2016	10/27/2020	Recurring Cert	Active	BLRM
Total Objects at this location					1						

Location: Carfinders of Maryland **Location ID:** 2548061
Address: 1542 Liberty Rd Sykesville, MD 21784-6512 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Jeremy Jestes, Owner - Phone: 410-549-9001 - Email: jeremy@carfindersmd.com
Billing Contact: Jeremy Jestes - 1542 Liberty Rd Sykesville, MD 21784-6512 - Phone: 410-549-9001 - Email: jeremy@carfindersmd.com
Cert Contact: Jeremy Jestes, Owner - 1542 Liberty Rd Sykesville, MD 21784-6512 - Phone: 410-549-9001 - Email: jeremy@carfindersmd.com
Owner Contact: Jeremy Jestes, Owner - 1542 Liberty Rd Sykesville, MD 21784-6512 - Phone: 410-549-9001 - Email: jeremy@carfindersmd.com
Other Contact(s): Jeremy Jestes, Owner - 1542 Liberty Rd Sykesville, MD 21784-6512 - Phone: 410-549-9001 - Email: jeremy@carfindersmd.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148112V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000605063		Steel Fab	2010	01/18/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Carroll Petroleum
Address: 121 John St Westminster, MD 21157-4996
County: Carroll
Primary Contact: Carroll Petroleum
Billing Contact: Carroll Petroleum - PO Box 516 Westminster, MD 21158-0516
Cert Contact: Carroll Petroleum - PO Box 516 Westminster, MD 21158-0516
Owner Contact: Carroll Petroleum - PO Box 516 Westminster, MD 21158-0516
Other Contact(s): Carroll Petroleum - 121 John St Westminster, MD 21157-4811
 Carroll Petroleum - PO Box 516 Westminster, MD 21158-0516

Location ID: 706176
Phone:
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158858V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000853285		Manchester	2007	10/25/2021	Recurring Cert	Active	TIRE STORAGE ROOM

Total Objects at this location 1

Location: Cedarhurst Unitarian Universalists Church
Address: 2912 Club House Rd Finksburg, MD 21048-1828
County: Carroll
Primary Contact: Claudette LeBlanc - Phone: 410-861-8820
Billing Contact: Claudette LeBlanc - 2912 Club House Rd Finksburg, MD 21048-1828 - Phone: 410-861-8820
Cert Contact: Claudette LeBlanc - 2912 Club House Rd Finksburg, MD 21048-1828 - Phone: 410-861-8820
Owner Contact: Claudette LeBlanc - 2912 Club House Rd Finksburg, MD 21048-1828 - Phone: 410-861-8820
Other Contact(s): Claudette LeBlanc - 2912 Club House Rd Finksburg, MD 21048-1828 - Phone: 410-861-8820

Location ID: 3369932
Phone: 410-861-8820
NOB/SIC:

Dean Camlin, Ops. Mgr. - 2912 Club House Rd Finksburg, MD 21048-1828 - Phone: 410-861-8820 - Email: operationstrustee@cedarhurstuu.org

My Company Comments: Cedarhurst #3369932
 no access building closed due to Covi-19. Contact information is invalid. S. Reynolds 6/23/20
 Contact update, inspection scheduled for 5/5/16 per email 4/25/16 from Dean Camlin.
 Contact update.

My Shared Comments: Sharon (I think she's the church secretary or maybe a trustee) called. They had an inspection done by Insparisk. she didn't give a date of inspection but did say she'd talked to them last week & they said they'd "sent it" to us. We still do not show record of any Initial Inspection at this location. She is calling them

again, will schedule an inspection with me to complete registration once we have Insparisk's inspection.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD153872H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	25301030007 3	Buderus	2013	05/05/2022	Recurring Cert	Active	Blr rm	
Total Objects at this location					1							

Location: Charles A Klein
Address: 5220 Klee Mill Rd S Sykesville, MD 21784-9257
County: Carroll
Primary Contact: Charles A Klein
Billing Contact: Charles A Klein - 5220 Klee Mill Rd S Sykesville, MD 21784-9200
Cert Contact: Charles A Klein - 5220 Klee Mill Rd S Sykesville, MD 21784-9200
Owner Contact: Charles A Klein - 5220 Klee Mill Rd S Sykesville, MD 21784-9200
Other Contact(s): Charles A Klein - 5220 Klee Mill Rd S Sykesville, MD 21784-9200

Location ID: 706566
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments: Inspection done a few days ago, Mat (410-549-8791)
 Mr. Kennedy @ 443 506 2245 has contacted HSB Case #653810 to schedule. customer will contact us for the update. dc 4/7/14

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107033V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000048794		Brunner	1996	03/28/2022	Recurring Cert	Active	S.M. SHOP
MD107034V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000909520		Manchester	1999	03/28/2022	Recurring Cert	Active	S.M. SHOP
MD137020V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000603809		TRINITY	2006	03/28/2022	Recurring Cert	Active	S.M. SHOP
Total Objects at this location					3						

Location: Chaz's Used Auto Parts & Towing
Address: 6035 Taneytown Pike Taneytown, MD 21787-1936
County: Carroll

Location ID: 706690
Phone: 410-876-7815
NOB/SIC:

Primary Contact: Chaz Walls, Owner - Phone: 410-876-7815 - Email: chazsis@hotmail.com
Billing Contact: Chaz's Used Auto Parts & Towing - 6035 Taneytown Pike Taneytown, MD 21787-1936 - Phone: 410-876-7815 - Email: chazsis@hotmail.com
Cert Contact: Chaz's Used Auto Parts & Towing - 6035 Taneytown Pike Taneytown, MD 21787-1936 - Phone: 410-876-7815 - Email: chazsis@hotmail.com
Owner Contact: Chaz Walls, Owner - 6035 Taneytown Pike Taneytown, MD 21787-1936 - Phone: 410-876-7815 - Email: chazsis@hotmail.com
Other Contact(s): Chaz Walls, Owner - 6035 Taneytown Pike Taneytown, MD 21787-1936 - Phone: 410-876-7815 - Email: chazsis@hotmail.com
Chaz's Used Auto Parts & Towing - 6035 Taneytown Pike Taneytown, MD 21787-1936 - Phone: 410-876-7815 - Email: chazsis@hotmail.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146829V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034843	30685	AIR COM	2013	08/10/2021	Recurring Cert	Active	Dismatle Shop
MD146830V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035296	31496	AIR COM	2013	08/10/2021	Recurring Cert	Active	Dismantle Shop

Total Objects at this location 2

Location: Chick-Fil-A - 01751 (Arc3)
Address: 144 Englar Rd Westminster, MD 21157-4858
County: Carroll

Location ID: 3302302
Phone: 410-871-2752
NOB/SIC:

Primary Contact: Philip J. (PJ) McDaniel - Phone: 410+-871-2752 - Email: 01751@chick-fil-a.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Philip J. (PJ) McDaniel - 144 Englar Rd Westminster, MD 21157-4858 - Phone: 410+-871-2752 - Email: 01751@chick-fil-a.com

**My Company
Comments:**

My Shared Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157427V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000286094	31610448	CHART	2016	05/11/2021	Recurring Cert	Active	CO2 Storage Area

Total Objects at this location 1

Location: Chick-Fil-A - 02898 (Arc3) **Location ID:** 4002052
Address: 6032 Sykesville Rd Sykesville, MD 21784-6000 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Chick-Fil-A - 02898 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166252V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000243719		CHART	2013	12/09/2021	Recurring Cert	Active	Kitchen

Total Objects at this location 1

Location: Cinco de Mayo (Arc3) **Location ID:** 4006547
Address: 402 Englar Rd Westminster, MD 21157-4867 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Cinco de Mayo (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142238		CHART	2002	01/28/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Copart of Connecticut, Inc.

Address: 2251 Old Westminster Pike Finksburg, MD 21048-1635

County: Carroll

Primary Contact: Kristi Rogers, Tax Director - Phone: 972-391-5114

Billing Contact: Kristi Rogers - 14185 Dallas Pkwy Ste 300 Dallas, TX 75254-1327 - Phone: 972-391-5114

Cert Contact: Kristi Rogers, Tax Director - 14185 Dallas Pkwy Ste 300 Dallas, TX 75254-1327 - Phone: 972-391-5114

Owner Contact: Kristi Rogers, Tax Director - 14185 Dallas Pkwy Ste 300 Dallas, TX 75254-1327 - Phone: 972-391-5114

Other Contact(s): Kristi Rogers, Tax Director - 14185 Dallas Pkwy Ste 300 Dallas, TX 75254-1327 - Phone: 972-391-5114

Location ID: 3185222

Phone: 410-871-9080

NOB/SIC:

My Company

Comments:

My Shared

Comments: Amy called (972-391-5224) to find out who did the last inspection. She is new to the company and wanted to know the next step after faxing the BPV form. RMF did the last inspection. I gave her the phone number. I also told her to check with her insurance company first. Updated contact info, received email 2/14/13, from Kristi Rogers.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144360V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730756	22250	Manchester	2006	07/26/2022	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: Cranberry Auto Service

Address: 404 Lucabaugh Mill Rd Westminster, MD 21157-6694

County: Carroll

Primary Contact: Andrea Marks, Owner - Phone: 410-848-8170

Billing Contact: Andrea Marks - 404 Lucabaugh Mill Rd Westminster, MD 21157-6320 - Phone: 410-848-8170

Cert Contact: Andrea Marks, Owner - 404 Lucabaugh Mill Rd Westminster, MD 21157-6320 - Phone: 410-848-8170

Location ID: 713343

Phone: 443-848-4058

NOB/SIC:

Owner Contact:

Other Contact(s): Andrea Marks, Owner - 404 Lucabaugh Mill Rd Westminster, MD 21157-6320 - Phone: 410-848-8170
Harris Automotive - 404 Lucabaugh Mill Rd Westminster, MD 21157-6320 - Phone: 410-876-5872

My Company Comments: citation returned- unable to forward

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134092V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000669747		Manchester	1998	11/23/2021	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: Crouse Ford Sales

Address: 11 Antrim Blvd Taneytown, MD 21787-2201

County: Carroll

Primary Contact: Michael Crouse, Service Manager - Phone: 410-756-6655 - Email: crouseservice@msn.com

Billing Contact: Michael Crouse - 11 Antrim Blvd Taneytown, MD 21787-2201 - Phone: 410-756-6655 - Email: crouseservice@msn.com

Cert Contact: Michael Crouse, Service Manager - 11 Antrim Blvd Taneytown, MD 21787-2201 - Phone: 410-756-6655 - Email: crouseservice@msn.com

Owner Contact: Michael Crouse, Service Manager - 11 Antrim Blvd Taneytown, MD 21787-2201 - Phone: 410-756-6655 - Email: crouseservice@msn.com

Other Contact(s): Michael Crouse, Service Manager - 11 Antrim Blvd Taneytown, MD 21787-2201 - Phone: 410-756-6655 - Email: crouseservice@msn.com

Location ID: 708340

Phone: 410-756-6655

NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD056499V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000815791		Wood	1982	04/21/2021	Recurring Cert	Active	Compressor Room
Total Objects at this location					1						

Location: Dairy Queen (Roberts)
Address: 1 Magna Way Westminster, MD 21157-3008
County: Carroll

Location ID: 4006969
Phone:
NOB/SIC:

Primary Contact: Dairy Queen (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166312V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021468		Taylor	1992	01/28/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: David Johansson
Address: 114 E Main St Westminster, MD 21157-5147
County: Carroll

Location ID: 709215
Phone: 410-848-9540
NOB/SIC:

Primary Contact: David Johansson - Phone: 443-605-8513
Billing Contact: David Johansson - 4 Westmoreland St Westminster, MD 21157-4420 - Phone: 443-605-8513
Cert Contact: David Johansson - 4 Westmoreland St Westminster, MD 21157-4420 - Phone: 443-605-8513
Owner Contact: David Johansson - 4 Westmoreland St Westminster, MD 21157-4420 - Phone: 443-605-8513
Other Contact(s): David Johansson - 4 Westmoreland St Westminster, MD 21157-4420 - Phone: 443-605-8513
David Johansson, Owner - 4 Westmoreland St Westminster, MD 21157-4420 - Phone: 443-605-8513
Dr. Michael C. Meyers, DDS - 114 E Main St Westminster, MD 21157-5147 - Phone: 410-848-9540
T. Sands or Eleni Venetoulis - 114 E Main St Westminster, MD 21157-5147 - Phone: 410-848-9540

**My Company
Comments:** closed 5/17/19 - Citation was sent to old owner.
David Johansson #709215
no access. location is empty. S. Reynolds 6/23/20
Dr. Michael C. Meyers, DDS-709215

The business is closed but I was able to get in touch with the new owner. He let me in and I was able to do the inspection. It is no longer a dentist office.
The new owner's info is :

David Johansson
 4 Westmoreland St.
 Westminster, Md 21157
 443-605-8513 snyder-3/27/19
 Meyers #709215
 MD142842H no access, location empty left note in mail slot to contact and schedule appointment Reynolds 5/18/2018

**My Shared
 Comments:**

Contact update, Insparisk inspected 7/10/14 per BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD142842H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65221697	Burnham	2010	05/09/2020	Recurring Cert	Active	Basement	
Total Objects at this location					1							

Location: Dennys Restaurant
Address: 400 Englar Rd Westminster, MD 21157-6185
County: Carroll
Primary Contact: Dennys Restaurant
Billing Contact: Dennys Restaurant - 1803 Edgewood Rd Edgewood, MD 21040-1044
Cert Contact: Dennys Restaurant - 1803 Edgewood Rd Edgewood, MD 21040-1044
Owner Contact: Dennys Restaurant - 1803 Edgewood Rd Edgewood, MD 21040-1044
Other Contact(s): Bahman Khakpouri - 400 Englar Rd Westminster, MD 21157-6185 - Phone: 410-876-0004 - Email: dennys7496@operationsmngt.com
 Dennys Restaurant - 1803 Edgewood Rd Edgewood, MD 21040-1044
 Dennys Restaurant W D B P Inc Operations Mgmt - 10 Aberdeen Plz Aberdeen, MD 21001-2247 - Phone: 4103983178
 Lee Meisinger, Manager - 400 Englar Rd Westminster, MD 21157-4852 - Phone: 410-876-0004
 Loren Edwards - 400 Englar Rd Westminster, MD 21157-6185 - Phone: 410-575-7700 - Email: plhess@operationsmngt.com
 Patrick Hess - 15B Aberdeen Shopping Plz Aberdeen, MD 21001-2247 - Phone: 410-575-7700 - Email: plhess@operationsmngt.com

Location ID: 720304
Phone: 410-876-0004
NOB/SIC:

**My Company
 Comments:** Location no longer owned by Mr. Hess. New mailing address 1803 Edgewood rd. Edgewood Md. 21040. 410-670-5462

**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD151080H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094552	109552	Bradford	2011	03/30/2021	Recurring Cert	Active	Mechanical Room	
Total Objects at this location					1							

Location: E W Beck's Pub (Arc3)
Address: 7565 Main St Sykesville, MD 21784-7311
County: Carroll

Location ID: 4002307
Phone:
NOB/SIC:

Primary Contact: E W Beck's Pub (Arc3)

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166324V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000141827		CHART	2002	12/12/2021	Recurring Cert	Active	CLoSet

Total Objects at this location 1

Location: East Jordan Iron Works
Address: 2932 Industrial Park Drive P O Box 245 Finksburg, MD 21048-2312
County: Carroll

Location ID: 709498
Phone: 410-833-6100
NOB/SIC:

Primary Contact: Jennifer Johnson

Billing Contact: Jennifer Johnson - 2932 Industrial Park Drive P O Box 245 Finksburg, MD 21048-2312

Cert Contact: Jennifer Johnson - 2932 Industrial Park Drive P O Box 245 Finksburg, MD 21048-2312

Owner Contact: Jennifer Johnson - 2932 Industrial Park Drive P O Box 245 Finksburg, MD 21048-2312

Other Contact(s): Jennifer Johnson - 2932 Industrial Park Drive - P O Box 245 Finksburg, MD 21048-2312

Mike Wheeler, Office Manager - 2932 Industrial Park Dr P O Box 245 Finksburg, MD 21048-2312 - Phone: 410 833 6100

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088045V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000052289		Stoystown	1988	02/11/2021	Recurring Cert	Active	Shop

Vessel
w/comment

Total Objects at this location 1

Location: Ecker's Automotive & Air Conditioning Service, Inc
Address: 247 E Green St Westminster, MD 21157-5243
County: Carroll
Primary Contact: Jim Ecker - Phone: 410 848-1260
Billing Contact: Jim Ecker - 247 E Green St Westminster, MD 21157-5243 - Phone: 410 848-1260
Cert Contact: Jim Ecker - 247 E Green St Westminster, MD 21157-5243 - Phone: 410 848-1260
Owner Contact: Jim Ecker - 247 E Green St Westminster, MD 21157-5243 - Phone: 410 848-1260
Other Contact(s): Jim Ecker - 247 E Green St Westminster, MD 21157-5243 - Phone: 410 848-1260

Location ID: 2157989
Phone: 410 848 1260
NOB/SIC:

My Company

Comments:

My Shared

Comments: Inspection scheduled 2/19/13 #1302468 HSB.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132108V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000162748		Curtis	1972	01/30/2021	Recurring Cert	Active	BSMT

Total Objects at this location 1

Location: Eldersburg Exxon
Address: 1305 Liberty Rd Sykesville, MD 21784-6412
County: Carroll
Primary Contact: Afshin Attar - Phone: 443-629-1723
Billing Contact: Marsha Connolly for Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5984
Cert Contact: Marsha Connolly for Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5984
Owner Contact: Marsha Connolly for Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5984
Other Contact(s): Afshin Attar - 1305 Liberty Rd Sykesville, MD 21784-6412 - Phone: 443-629-1723
Chris Cavey - 1305 Liberty Rd Sykesville, MD 21784-6412 - Phone: 410-795-7557 - Cell: 443-277-7204
Diana Cavey, Owner - 1305 Liberty Rd Sykesville, MD 21784-6412 - Phone: 410-526-9089 - Email: Cavey@gmail.com
Eldersburg Service Center Exxon - 1305 Liberty Rd Sykesville, MD 21784-6412 - Phone: 4107959262
Kathleen McCaney, Compliance Coordinator - 3801 W Chester Pike Newtown Square, PA 19073-2320 - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com
Marsha Connolly for Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5984

Location ID: 709809
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments: MD158824H belongs to ARC3 it is a rental device
New Owner update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144356V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000979435		Manchester	2008	05/21/2021	Recurring Cert	Active	Car Wash
Total Objects at this location					1						

Location: Eldersburg Exxon (ARC3) **Location ID:** 3954072
Address: 1305 Liberty Rd Sykesville, MD 21784-6412 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157824V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012790		Taylor	1992	05/01/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Finch Services, Inc. **Location ID:** 872357
Address: 9 Venture Way Eldersburg, MD 21784-6936 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Kevin Lewis, Service Manager - Phone: 410-848-7211
Billing Contact: Kevin Lewis - 9 Venture Way Eldersburg, MD 21784-6936 - Phone: 410-848-7211
Cert Contact: Kevin Lewis, Service Manager - 9 Venture Way Eldersburg, MD 21784-6936 - Phone: 410-848-7211

Owner Contact: Kevin Lewis, Service Manager - 9 Venture Way Eldersburg, MD 21784-6936 - Phone: 410-848-7211
Other Contact(s): Finch Services, Inc. - 9 Venture Way Eldersburg, MD 21784-6936 - Phone: (410) 795-1051 - Email: eldersburg@finchinc.com
 Kevin Lewis - 9 Venture Way Eldersburg, MD 21784-6936 - Email: klewis@finchinc.com
 Kevin Lewis, Service Manager - 9 Venture Way Eldersburg, MD 21784-6936 - Phone: 410-848-7211

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136961V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000500319		Manchester	2005	03/21/2022	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: Firestone - 0437
Address: 580 Jermor Ln Rte 140 Westminster, MD 21157-6126
County: Carroll
Primary Contact: Firestone - 0437
Billing Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Cert Contact:
Owner Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280
Other Contact(s): Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280

Location ID: 710723
Phone:
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091089V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000332550		Manchester	1995	07/06/2022	Recurring Cert	Active	Store Room
MD091090V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000332560		Manchester	1995	07/06/2022	Recurring Cert	Active	Store Room
Total Objects at this location					2						

Location: Five Guys (Roberts)
Address: 2319 Hanover Pike Ste H Hampstead, MD 21074-1137
County: Carroll

Location ID: 4002974
Phone:
NOB/SIC:

Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments: Corrections made - 3 pressure vessels

Franovich, Dave

--

3:22 PM (1 hour ago)
to Boilers@DLLR.State.MD.US, Alfredo--

Good Afternoon,--

Corrections have been made at the following three locations:

--Fratelli's-MD166306V
--Five Guys-MD166307V
--Subway-MD166325V

--Please note that we rcv'd duplicate notices with different dates for the pressure vessels at Fratelli's-MD166306V and Five Guys-MD166307V. All attached locations/violations have been corrected.--

Thank you.--

Dave Franovich

Operations Support Manager

Roberts Oxygen Company, Inc.--

dfranovich@robertsoxygen.com--

240-493-8405 – Direct Dial Office--

301-252-0742 – Mobile--

301-948-8100 – Customer Service--

My Shared Comments:

A State inspector needs to visit this site to verify the corrections have been made. They received duplicate invoices because I visited the location twice and violations were still pending.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166307V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000005629		Taylor	1989	01/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Fratelli's (Roberts)

Address: 2315 Hanover Pike Ste A Hampstead, MD 21074-1136

County: Carroll

Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 4002972

Phone:

NOB/SIC:

My Company Comments:

Corrections made - 3 pressure vessels ----- Franovich, Dave -- 3:22 PM (1 hour ago) to Boilers@DLLR.State.MD.US, Alfredo-- Good Afternoon,-- Corrections have been made at the following three locations: --Fratelli's-MD166306V --Five Guys-MD166307V --Subway-MD166325V --Please note that we rcv'd duplicate notices with different dates for the pressure vessels at Fratelli's-MD166306V and Five Guys-MD166307V. All attached locations/violations have been corrected.-- Thank you.-- Dave Franovich Operations Support Manager Roberts Oxygen Company, Inc.-- dfranovich@robertsoxygen.com-- 240-493-8405 – Direct Dial Office-- 301-252-0742 – Mobile-- 301-948-8100 – Customer Service--

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166306V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000005761		Taylor	1989	01/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Freedom Automotive
Address: 6710 Sykesville Rd Sykesville, MD 21784-8065
County: Carroll
Primary Contact: William Branning, owner - Phone: 410-795-0900 - Email: freedomautomotive@hotmail.com
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): William Branning, owner - 6710 Sykesville Rd Sykesville, MD 21784-8065 - Phone: 410-795-0900 - Email: freedomautomotive@hotmail.com

Location ID: 711346
Phone:
NOB/SIC:

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111594V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000832796		Manchester	1999	10/22/2021	Recurring Cert	Active	Shop
MD130975H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2006	10/22/2021	Recurring Cert	Active	BLRM
Total Objects at this location					2						

Location: Glory Days (Arc3)
Address: 1348 Liberty Rd Sykesville, MD 21784-6411
County: Carroll
Primary Contact: Glory Days (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 4002055
Phone:
NOB/SIC:

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD166254V Vertical Unfired V - Storage 000163384 CHART 2005 12/09/2021 Recurring Cert Active Outside
 Pressure (Cryogenic)
 Vessel
 w/comment

Total Objects at this location 1

Location: Greenberg Bldg. **Location ID:** 719438
Address: 7566 Main St Sykesville, MD 21784-7342 **Phone:** 703-461-6991
County: Carroll **NOB/SIC:**
Primary Contact: Bruce Greenberg - Phone: (703) 461-6991
Billing Contact: Bruce Greenberg - 5233 Bessley Pl Alexandria, VA 22304-8647 - Phone: (703) 461-6991
Cert Contact: Bruce Greenberg - 5233 Bessley Pl Alexandria, VA 22304-8647 - Phone: (703) 461-6991
Owner Contact: Bruce Greenberg - 5233 Bessley Pl Alexandria, VA 22304-8647 - Phone: (703) 461-6991
Other Contact(s): Bruce Greenberg - 5233 Bessley Pl Alexandria, VA 22304-8647 - Phone: (703) 461-6991
 Debbie Scheller, Tennent - 7566 Main St Sykesville, MD 21784-7342 - Phone: 410-795-1718 - Cell: local contact for boiler - Email: debbie@sykesvillebooks.com

My Company
Comments:
My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143778H	Left	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0320	Buderus	2005	01/12/2022	Recurring Cert	Active	Boiler Room, Rear of Building
MD143779H	Right	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0283	Buderus	2005	01/12/2022	Recurring Cert	Active	Boiler Room, Rear of Building

Total Objects at this location 2

Location: Greenmount United Methodist Church **Location ID:** 712698
Address: 2001 Hanover Pike Hampstead, MD 21074-1332 **Phone:** 410-239-9705
County: Carroll **NOB/SIC:**
Primary Contact: Stephen Rada, Trustee Chairman - Phone: 410-239-2233
Billing Contact: Greenmount United Methodist Church - 2001 Hanover Pike Hampstead, MD 21074-1332 - Phone: 410 374 3840
Cert Contact: Stephen Rada, Trustee Chairman - 2001 Hanover Pike Hampstead, MD 21074-1332 - Phone: 410-239-2233
Owner Contact: Stephen Rada, Trustee Chairman - 2001 Hanover Pike Hampstead, MD 21074-1332 - Phone: 410-239-2233
Other Contact(s): Greenmount United Methodist Church - 2001 Hanover Pike Hampstead, MD 21074-1332 - Phone: 410 374 3840
 Stephen Rada, Trustee Chairman - 2001 Hanover Pike Hampstead, MD 21074-1332 - Phone: 410-239-2233

My Company

Comments:

My Shared

Comments: Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153024H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Bosch	2014	05/05/2021	Recurring Cert	Active	SANCTRY BLRM
MD163774H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Bosch	2018	04/08/2021	Recurring Cert	Active	PARSONAGE

Total Objects at this location 2

Location: Greens Garage Inc
Address: 1628 Fairmount Rd Hampstead, MD 21074-2123
County: Carroll
Primary Contact: Greens Garage Inc - Phone: 4103749110
Billing Contact: Greens Garage Inc - 1628 Fairmount Rd Hampstead, MD 21074-2123 - Phone: 4103749110
Cert Contact: Greens Garage Inc - 1628 Fairmount Rd Hampstead, MD 21074-2123 - Phone: 4103749110
Owner Contact: Greens Garage Inc - 1628 Fairmount Rd Hampstead, MD 21074-2123 - Phone: 4103749110
Other Contact(s): Greens Garage Inc - 1628 Fairmount Rd Hampstead, MD 21074-2123 - Phone: 4103749110

Location ID: 712701
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments: Larry Green, has been sick and before he went out, tried to get someone to inspect. He's following up, I gave him Hartford's number. But he switched insurance in November 2014, but he's calling his insurance agent to get the inspection done.
MD128041V sold to Greens Garage 1628 Fairmont rd 712701 from Sullivans Garage 7318 Golden Ring rd. 725982

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128041V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000416048		Steel Fab	2005	07/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Hampstead Pre Owned Auto Sales
Address: 1111 S Main St Hampstead, MD 21074-2245
County: Carroll
Primary Contact: Anthony Birdsong - Phone: 410-239-8765

Location ID: 2322187
Phone:
NOB/SIC:

Billing Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
Cert Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
Owner Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
Other Contact(s): Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
 Les Wheeler, Owner - 1318 Main St Hampstead, MD 21074 - Phone: 410-374-6144

My Company Comments: 1111 name is Hampstead Pre-owned Auto Sales. There is nothing at 1115 anymore but I believe it is owned by Hampstead. Mike C Adam - salesman 410 239 8765 left message for ownership Gavin Elder -DLLR- 9:32 AM (2 hours ago)

to me
 Please call Les Wheeler (410-374-6144) to schedule an inspector to confirm removal of MD144215H. He said on a voicemail that he doesn't own "it" anymore, but SDAT shows him as owning the property, so I think he just means the boiler.

Thanks,

Gavin Elder
 Administrative Specialist
 Safety Inspection Unit
 Maryland Division of Labor and Industry
 Department of Labor, Licensing and Regulation
 1100 N. Eutaw St, Rm 605
 Baltimore, MD 21201
 Office: 410-767-2842
 Fax: 410-333-7721

Safety Inspection Unit | Facebook | Twitter
 Kevin Rice 6-28-17 INSPECTION SCHEDULED WITH THIRD PARTY.
 Les Wheeler said he no longer owns this property.
 Anthony Birdsong 410 239 8765
 Mark Cooley 717 420 6900
 Will discuss with the owner to determine who will arrange for the inspection .

My Shared Comments: Building is owned by Les Wheeler (410-374-6144) and leased to Stambaugh Chevrolet. The boilers are owned and maintained by owner. Stambaugh Chevrolet owns and maintains the air tanks.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159231V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001757436		Manchester	2016	12/13/2021	Recurring Cert	Active	Main Body Shop
MD159232V		Horizontal Unfired	V - Storage (NOT Cryogenic)	001849559		Manchester	2017	12/13/2021	Recurring Cert	Active	Paint Shop

Pressure
Vessel
w/comment

Total Objects at this location 2

Location: Hampstead Pre-Owned Auto Sales
Address: 1115 S Main St Hampstead, MD 21074-2245
County: Carroll

Location ID: 884825
Phone: 410-239-8765
NOB/SIC:

Primary Contact: Hampstead Pre-Owned Auto Sales

Billing Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765

Cert Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765

Owner Contact: Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765

Other Contact(s): Anthony Birdsong - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
Elite Auto Works and Sales - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765
Fine Line Collision - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-833-9800
Fine Line Collision - 1115 S Main St Hampstead, MD 21074-2245
Hampstead Pre-Owned Auto Sales - 1115 S Main St Hampstead, MD 21074-2245
Joan Belt, New Business@ location: Elite Auto Works and Sales - 1111 S Main St Hampstead, MD 21074 - Phone: 410-239-8765
Joel Stambaugh - 1111 S Main St Hampstead, MD 21074-0000 - Phone: 410-239-8765
Timothy Eaton, owner - 1111 S Main St Hampstead, MD 21074-2245 - Phone: 410-239-8765

My Company Comments: 1111 name is Hampstead Pre-owned Auto Sales. There is nothing at 1115 anymore but I believe it is owned by Hampstead. Mike C Fine Line Collision location is no longer in business but I don't know if the equipment is there. Mike Coleman Terrent - 410 804 0976 occupant of this business is not longer at this site as of 2/2016

My Shared Comments: Elite Auto Works sub-leases part of the Repair Shop from "Stambaugh's", previously known as "Stambaugh Chevrolet" before they lost their dealership. Building owner is still Les Wheeler, and Stambaugh's leases the building from him. The only object owned by "Elite Auto Works" is the unregistered air tank NB159501.
Insparisk Inspecting 10-16-12
sent AIA list to Dave. the objects are actually located at Fine Line Collision
Spoke with Erica about overdue objects. Sent AIA list to hamsteadpreowned@gmail.com

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134086V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000159501		Manchester	2003	06/05/2022	Recurring Cert	Active	Shop
MD167331V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000847370		Manchester	2019	07/23/2022	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: Handyman On Call
Address: 2919 Industrial Park Dr Finksburg, MD 21048-2311
County: Carroll
Primary Contact: Benjamin Zoonis, owner
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Benjamin Zoonis - 2919 Industrial Park Dr Finksburg, MD 21048-2311
 Benjamin Zoonis, owner - 2919 Industrial Park Dr Finksburg, MD 21048-2311
 William Fauntleroy, Owner - 2919 Industrial Park Dr Finksburg, MD 21048-2311 - Phone: 410-833-8814 - Email: adprods@gmail.com

Location ID: 702177
Phone:
NOB/SIC:

My Company Comments: Good afternoon Ladies, The customer listed below(and CC'd in this email) has scheduled his inspection with us for next week. The inspections were due 11/25/16. He stated that he just bought the business not long ago and the previous owner did not inform him of the pressure vessels. He also stated that he only has one PV(MD013029V, manufactured 1985) on site and that the other PV (MD054547V, manufactured 1956) is no longer there. Location ID : 702177 Handyman On Call 2919 Industrial Park Dr Finksburg, MD 21048 ?Best regards, Deborah Coleman, Executive Secretary/Contract Specialist
 Mac Inspections inspected today. no violations
 previous owner is :
 William Fauntleroy
 4311 York Rd # 1
 Manchester, MD 21102

 William Fauntleroy 410 596 3377
 Handymanoncall is now owner as of 1/2016
 Benjamin Zoonis 443 850 6948
 443 962 8398

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013029V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000592321		Buckeye	1985	01/24/2021	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: Hubert Tom Thompson
Address: 9 W George St Westminster, MD 21157-4950
County: Carroll
Primary Contact: Juanita Frances McDaniel Et Al
Billing Contact: Juanita Frances McDaniel Et Al - 2506 Old Washington Rd Westminster, MD 21157-7542

Location ID: 714246
Phone:
NOB/SIC:

Cert Contact: Juanita Frances McDaniel Et Al - 2506 Old Washington Rd Westminster, MD 21157-7542
Owner Contact: Juanita Frances McDaniel Et Al - 2506 Old Washington Rd Westminster, MD 21157-7542
Other Contact(s): Hubert Thompson, Owner - 2506 Old Washington Rd Westminster, MD 21157-7542 - Phone: 410-857-8023
 Juanita Frances McDaniel Et Al - 2506 Old Washington Rd Westminster, MD 21157-7542

My Company Comments: LOC 714246 - Hubert Tom Thompson
 Inbox
 x

MAC Inspection & Welding Agency
 Attachments
 Mon, Jan 7, 2:17 PM (2 days ago)
 to Elizabeth, me, carol

Good afternoon Elizabeth, I hope your new year is off to a good start. I contacting you on behalf of Carol Thompson of Hubert Tom Thompson(cc'd in this email). Ms. Thompson received a reminder notification(attached) dated 12/19/18 about her upcoming inspections(for MD103366H & MD103367H) that are due 2/2/19. A couple of weeks later she received a citation warning(attached) about the same objects, the citation stated the were due 10/29/18. Can you bring any clarity to this issue? If in fact they are past due, we can inspect them as early as this Wednesday, 1/9/18. I would appreciate any assistance you can provide.

Thank you.

Best regards,

Deborah Coleman, Contract Specialist
 MAC Inspection & Welding Agency, LLC
 Mrs Thompson 410 984 4807
 Atlantic Services will inspect in January 2017
 Mrs. Thompson called to say her inspection needs to be rescheduled because Judy of Atlantic Services informed her that her inspector had an emergency with his wife & would be unable to make it. She doesn't yet have the new date

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103366H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1975	02/02/2021	Recurring Cert	Active	Basement
MD103367H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7680095	Burnham	1980	02/02/2021	Recurring Cert	Active	Basement

Total Objects at this location 2

Location: Instrument and Controls Inc.
Address: 271 E Green St Westminster, MD 21157-6468
County: Carroll

Location ID: 714618
Phone:
NOB/SIC:

Primary Contact: Ray Holsten - Phone: 410-876-3616

Billing Contact: Mike Brecker - 271 E Green St Westminster, MD 21157-6468 - Phone: 410-876-3616 - Email: mbrecker@icimarine.com

Cert Contact: Mike Brecker, Owner - 271 E Green St Westminster, MD 21157-6468 - Phone: 410-876-3616 - Email: mbrecker@icimarine.com

Owner Contact: Mike Brecker, Owner - 271 E Green St Westminster, MD 21157-6468 - Phone: 410-876-3616 - Email: mbrecker@icimarine.com

Other Contact(s): Mike Brecker, Owner - 271 E Green St Westminster, MD 21157-6468 - Phone: 410-876-3616 - Email: mbrecker@icimarine.com
Ray Holsten - 271 E Green St Westminster, MD 21157-6468 - Phone: 410-876-3616

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034758V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000648668		Kargard	1973	11/22/2020	Recurring Cert	Active	Bsmt

Total Objects at this location 1

Location: J & J Trash Removal
Address: 3233 Murray Rd Finksburg, MD 21048-2416
County: Carroll

Location ID: 718197
Phone:
NOB/SIC:

Primary Contact: J & J Trash Removal

Billing Contact: J & J Trash Removal - 3233 Murray Rd Finksburg, MD 21048-2416

Cert Contact: J & J Trash Removal - 3233 Murray Rd Finksburg, MD 21048-2416

Owner Contact: J & J Trash Removal - 3233 Murray Rd Finksburg, MD 21048-2416

Other Contact(s): J & J Trash Removal - 3233 Murray Rd Finksburg, MD 21048-2416

J & J Trash Removal - PO Box 438 Finksburg, MD 21048-0438

Joann Jones - PO Box 560 Finksburg, MD 21048-0560 - Phone: 410-833-0300

My Company
Comments: Joanne Jones called to say that Meekins Construction closed its doors in November 2016. The left the equipment at the location and doesn't know if the new business J & n J Trash removal still has the equipment. Updating location name to J & J Trash removal. CED 5/2/18. Letter sent from Meekins Construction on the sale of this property to J & J Trash Removal Inc. (see documents)

My Shared

Comments:

Address has been standardized 3/2/06/ds

Joann Jones called looking for cert. Hartford has inspected. We haven't received the report as of today.

Received a call from company because Hartford can't inspect till May 6, 2014 and the CED date is 4/26/14. Informed that Hartford sends hardcopies and it may be 30 days before they receive the cert. They also may receive a citation warning, 30 days after CED date has expired.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160826V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000572352		Morganton	2016	05/02/2022	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: J & P pizza (Arc3) **Location ID:** 4039164
Address: 409 E Ridgeville Blvd Mount Airy, MD 21771-5217 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: J & P pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000152879		CHART	2003	09/03/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: J & P Pizza (ARCET) **Location ID:** 4006970
Address: 2600 W Liberty Rd Westminster, MD 21157-7944 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Brian Lewis, Safety & Comp Coordinator - Phone: 804-644-4521 - Cell: 804-338-9910 - Email: brianl@arcet.com
Billing Contact: Brian Lewis - 1700 Chamberlayne Ave Richmond, VA 23222-4808 - Phone: 804-644-4521 - Cell: 804-338-9910 - Email: brianl@arcet.com
Cert Contact: Brian Lewis, Safety & Comp Coordinator - 1700 Chamberlayne Ave Richmond, VA 23222-4808 - Phone: 804-644-4521 - Cell: 804-338-9910 - Email: brianl@arcet.com
Owner Contact: Brian Lewis, Safety & Comp Coordinator - 1700 Chamberlayne Ave Richmond, VA 23222-4808 - Phone: 804-644-4521 - Cell: 804-338-9910 - Email: brianl@arcet.com
Other Contact(s): Brian Lewis, Safety & Comp Coordinator - 1700 Chamberlayne Ave Richmond, VA 23222-4808 - Phone: 804-644-4521 - Cell: 804-338-9910 - Email: brianl@arcet.com

My Company Per Roberts Oxygen MD167102V – No Record of Roberts Tank at this location, not a Roberts Oxygen Customer site
Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167102V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000144348		CHART	2002	01/28/2022	Recurring Cert	Active	BASEMENT

Total Objects at this location 1

Location: Jiffy Mart #441 **Location ID:** 726449
Address: 1 Magna Way Westminster, MD 21157-3008 **Phone:** 443-398-4925
County: Carroll **NOB/SIC:**
Primary Contact: Paul Baugher - Phone: 443-398-4925 - Email: pbaugher@tevisoil.com
Billing Contact: Paul Baugher - 1 Magna Way Westminster, MD 21157-3008 - Phone: 443-398-4925 - Email: pbaugher@tevisoil.com
Cert Contact: Jiffy Mart #441 - 82 John St Westminster, MD 21157-4835 - Phone: 443-244-8530 - Email: tmossers@tevisoil.com
Owner Contact: Paul Baugher - 1 Magna Way Westminster, MD 21157-3008 - Phone: 443-398-4925 - Email: pbaugher@tevisoil.com
Other Contact(s): Jiffy Mart #441 - 82 John St Westminster, MD 21157-4835 - Phone: 443-244-8530 - Email: tmossers@tevisoil.com
Paul Baugher - 1 Magna Way Westminster, MD 21157-3008 - Phone: 443-398-4925 - Email: pbaugher@tevisoil.com
Paul Baugher, Maintenance - 1 Magna Way Westminster, MD 21157-3008 - Phone: 4108763141

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111585V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000126631		Manchester	2000	04/07/2021	Recurring Cert	Active	CAR WASH

Total Objects at this location 1

Location: Jiffy Mart - 431 (Arc3) **Location ID:** 4006479
Address: 3137 Baltimore Blvd Finksburg, MD 21048-2307 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Jiffy Mart - 431 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166641V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	0000005259		Taylor	1992	01/10/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Jiffy Mart - 433 (Arc3) **Location ID:** 4006541
Address: 74 W Main St Westminster, MD 21157-4816 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Jiffy Mart - 433 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166309V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052673		Taylor	2001	01/28/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Jiffy Mart - 440 (Arc3) **Location ID:** 4006485
Address: 1155 S Main St Hampstead, MD 21074-2245 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Jiffy Mart - 440 (Arc3)

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166627V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000002567 4		Taylor	1992	01/10/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Jiffy Mart - 441 (Arc3) **Location ID:** 4006554
Address: 1 Magna Way Westminster, MD 21157-3008 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Jiffy Mart - 441 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166313V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052635		Taylor	2001	01/28/2022	Recurring Cert	Active	Store Room
Total Objects at this location					1						

Location: Johanssons Dining House
Address: 4 W Main St Westminster, MD 21157-4816
County: Carroll
Primary Contact: David Johanssons - Phone: 4108760101
Billing Contact: David Johanssons - 4 W Main St Westminster, MD 21157-4816 - Phone: 4108760101
Cert Contact: David Johanssons - 4 W Main St Westminster, MD 21157-4816 - Phone: 4108760101
Owner Contact:
Other Contact(s): David Johanssons - 4 W Main St Westminster, MD 21157-4816 - Phone: 4108760101

Location ID: 715115
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110793H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	000052310		Ajax	1997	03/13/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this location 1

Location: Keats A Pullen III Engine (Model)
Address: 5910 Grace Lee Ave Sykesville, MD 21784-8711
County: Carroll
Primary Contact: Keats A Pullen III - Phone: 410-552-4443 - Cell: 301-286-2617
Billing Contact: Keats A Pullen III - 5910 Grace Lee Ave Sykesville, MD 21784-8711 - Phone: 410-552-4443 - Cell: 301-286-2617
Cert Contact: Keats A Pullen III - 5910 Grace Lee Ave Sykesville, MD 21784-8711 - Phone: 410-552-4443 - Cell: 301-286-2617
Owner Contact: Keats A Pullen III - 5910 Grace Lee Ave Sykesville, MD 21784-8711 - Phone: 410-552-4443 - Cell: 301-286-2617
Other Contact(s): Keats A Pullen III - 5910 Grace Lee Ave Sykesville, MD 21784-8711 - Phone: 410-552-4443 - Cell: 301-286-2617
 Keats A Pullen III - 6106 Moorefield Rd Catonsville, MD 21228-2756 - Phone: 4107192220
 Paul Seyfrit, Secretary - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309 - Email: seyfritp@verizon.net

Location ID: 715455
Phone: 410-552-4443
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017650		Horizontal Fire Tube	M - Model w/comment	Model		Kennion	1978	04/09/2021	Recurring Cert	Active	Portable

MD017652	Horizontal Fire Tube	M - Model w/comment	Model	Keats Pullen	1982	04/09/2021	Recurring Cert	Active	Portable
MD144735	Horizontal Fire Tube	M - Model w/comment	Model	Keats Pullen	1992	05/20/2021	Recurring Cert	Active	Portable
MD162639	Other w/comment	M - Model w/comment	Model	Holt	1992	04/05/2021	Recurring Cert	Active	Portable

Total Objects at this location 4

Location: KFC
Address: 1314 Londontown Blvd Eldersburg, MD 21784-6409
County: Carroll
Primary Contact: KFC
Billing Contact:
Cert Contact:
Owner Contact:

Location ID: 3631829
Phone:
NOB/SIC:

Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
 William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155819V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000126508	SNCSHROOM 105	MVE Inc	2000	09/27/2020	Recurring Cert	Active	Storage Room

Total Objects at this location 1

Location: KFC
Address: 2309 Hanover Pike Hampstead, MD 21074-1150
County: Carroll
Primary Contact: KFC
Billing Contact:
Cert Contact:
Owner Contact:

Location ID: 3631827
Phone:
NOB/SIC:

Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD155928V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000194546	SNCCMAE08E 117	CHART	2008	09/26/2020	Recurring Cert	Active	Storage area	
Total Objects at this location					1							

Location: Lakeview Memorial Park **Location ID:** 716067
Address: 2734 Liberty Rd Sykesville, MD 21784-6905 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dawn Brown - Phone: 410-795-8180 - Email: lakeviewmem@verizon.net
Billing Contact: Dawn Brown - 2734 Liberty Rd Sykesville, MD 21784-6905 - Phone: 410-795-8180 - Email: lakeviewmem@verizon.net
Cert Contact: Dawn Brown - 2734 Liberty Rd Sykesville, MD 21784-6905 - Phone: 410-795-8180 - Email: lakeviewmem@verizon.net
Owner Contact: Dawn Brown - 2734 Liberty Rd Sykesville, MD 21784-6905 - Phone: 410-795-8180 - Email: lakeviewmem@verizon.net
Other Contact(s): Dawn Brown - 2734 Liberty Rd Sykesville, MD 21784-6905 - Phone: 410-795-8180 - Email: lakeviewmem@verizon.net
Lakeview Memorial Park - 2734 Liberty Rd Sykesville, MD 21784-6905 - Phone: 4107958180

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD085567V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064541		Buckeye	1989	10/23/2021	Recurring Cert	Active	Maint Shop	
Total Objects at this location					1							

Location: Laser Application Inc. **Location ID:** 716210
Address: 1110 Business Pkwy S Westminster, MD 21157-3065 **Phone:** 410-857-0770
County: Carroll **NOB/SIC:**
Primary Contact: Tim Diello, Maintenance - Phone: 410-857-0770 x483 - Cell: 443-798-8080 - Email: tdiello@laico.com
Billing Contact: Laser Application Inc. - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770
Cert Contact: Marlon Johnson, Site Mgr. - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 x475 - Email: mjohnson@laico.com

Owner Contact: Marlon Johnson, Site Mgr. - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 x475 - Email: mjohnson@laico.com
Other Contact(s): Laser Application Inc. - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770
 Marlon Johnson, Site Mgr. - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 x475 - Email: mjohnson@laico.com
 Marshall Vosburg, Consulting Director - 151 N Franklin St Chicago, IL 60606-1915 - Phone: 717-659-9330 - Email: marshall.vosburg@cna.com
 Matthew Hall, ESH Officer and CNC Programmer - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 x521 - Email: mhall@laico.com
 Messier Greisheim Industries - PO Box 945 Valley Forge, PA 19482-0945 - Phone: 0000000000
 OneCIS Insurance Company - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 855-593-5115 - Email: InspectionHotlineMail@us.bureauveritas.com
 Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com
 Stephanie Miller, Plan Manager - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 - Email: smiller@laico.com
 Tim Diello, Maintenance - 1110 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-0770 x483 - Cell: 443-798-8080 - Email: tdiello@laico.com

My Company Comments: Contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD045684V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000824287		Wood	1983	12/20/2020	Recurring Cert	Active	Comp Room
MD063845H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1984	12/20/2020	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Ledo Pizza (Arc3) **Location ID:** 4002053
Address: 577 Johnsville Rd Sykesville, MD 21784-8036 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Ledo Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD167330V Vertical Unfired V - Storage 000111018 Taylor-Wharton 2019 07/23/2022 Recurring Cert Active Outside
 Pressure (NOT Cryogenic)
 Vessel
 w/comment

Total Objects at this location 1

Location: Lee's Auto **Location ID:** 704835
Address: 1071 Baltimore Blvd Ste A Westminster, MD 21157-7048 **Phone:** 410-848-8728
County: Carroll **NOB/SIC:**
Primary Contact: Glenn Davis, Owner - Phone: 410-848-8728 - Email: leesautomotivellc@gmail.com
Billing Contact: Glenn Davis - 1071 Baltimore Blvd Ste A Westminster, MD 21157-7048 - Phone: 410-848-8728 - Email: leesautomotivellc@gmail.com
Cert Contact: Glenn Davis, Owner - 1071 Baltimore Blvd Ste A Westminster, MD 21157-7048 - Phone: 410-848-8728 - Email: leesautomotivellc@gmail.com
Owner Contact: Glenn Davis, Owner - 1071 Baltimore Blvd Ste A Westminster, MD 21157-7048 - Phone: 410-848-8728 - Email: leesautomotivellc@gmail.com
Other Contact(s): Glenn Davis, Owner - 1071 Baltimore Blvd Ste A Westminster, MD 21157-7048 - Phone: 410-848-8728 - Email: leesautomotivellc@gmail.com
 Steve Bohn, Owner - 1071 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-848-7720

My Company Comments: Email and fax updated.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD040745V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000801911		Buckeye	1987	12/11/2020	Recurring Cert	Active	Outside Shop

Total Objects at this location 1

Location: Len Stoler Chevolet **Location ID:** 716455
Address: 861 Baltimore Blvd (Rt 140 & Center St) Westminster, MD 21157-7021 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Rhonda Stem, Service Director - Phone: 410-876-2233 ext 2030 - Email: rstem@lenstoler.com
Billing Contact: Rhonda Stem - 861 Baltimore Blvd Westminster, MD 21157-7021 - Phone: 410-876-2233 ext 2030 - Email: rstem@lenstoler.com
Cert Contact: Rhonda Stem, Service Director - 861 Baltimore Blvd Westminster, MD 21157-7021 - Phone: 410-876-2233 ext 2030 - Email: rstem@lenstoler.com
Owner Contact: Rhonda Stem, Service Director - 861 Baltimore Blvd Westminster, MD 21157-7021 - Phone: 410-876-2233 ext 2030 - Email: rstem@lenstoler.com
Other Contact(s): Albert Scholz - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Cell: 443-463-5660 - Email: asholz@lenstoler.com
 David Leibowitz, CFO - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-998-3458
 Len Stoler Chevolet - 343 Baltimore Blvd - (Rt 140 & Center St) Westminster, MD 21157-2127 - Phone: 3018762233
 Rhonda Stem, Service Director - 861 Baltimore Blvd Westminster, MD 21157-7021 - Phone: 410-876-2233 ext 2030 - Email: rstem@lenstoler.com

My Company Comments: MD066135V 10/27/2017 10/13/2019 Len Stoler Chevrolet (JOL 716455) Violation is still open, the violation is NOT 30 days old, no follow-up has been scheduled as of 12/8/2017. Zurich Reynolds 10/30/2019 Len Stoler #716455
 MD066135V inactive
 MD066692V inactive
 MD144202H inactive
 MD165421V certificate issued
 Business is now located at
 861 Baltimore Blvd
 Westminster, MD21157

My Shared Comments: Business has moved. It is now located at .
 861 Baltimore Blvd
 Westminster, MD 21157
 Invoice cahnged to Len Stoler, not Bob Bell for about 7 years, removed Bob Bell as contact; RHD 4/22/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165421V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002108096		Manchester	2019	10/30/2021	Recurring Cert	Active	Compressor Room
Total Objects at this location					1						

Location: Len Stoler Westminster Jeep **Location ID:** 716457
Address: 1001 Baltimore Blvd Westminster, MD 21157-7023 **Phone:** 410-857-5660
County: Carroll **NOB/SIC:**
Primary Contact: Melissa Hall, Service Director - Phone: 410-8768800 ext 7244 - Email: mhall@lenstoler.com
Billing Contact: Melissa Hall - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-8768800 ext 7244 - Email: mhall@lenstoler.com
Cert Contact: Melissa Hall, Service Director - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-8768800 ext 7244 - Email: mhall@lenstoler.com
Owner Contact: Melissa Hall, Service Director - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-8768800 ext 7244 - Email: mhall@lenstoler.com
Other Contact(s): Albert Scholz - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Cell: 443-463-5660 - Email: asholz@lenstoler.com
 David Leibowitz, CFO - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-998-3458
 Len Stoler Westminster Jeep - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 4108574100
 Melissa Hall, Service Director - 1001 Baltimore Blvd Westminster, MD 21157-7023 - Phone: 410-8768800 ext 7244 - Email: mhall@lenstoler.com

My Company Comments: Len Stoler Jeep Westminster (Location-716457) - 1001 Baltimore - 2 CEDs
 I received a phone call earlier last week from the service manager Al Schulz with Len Stoler Dealerships. He had requested that I go out and inspect that pressure vessels at the Westminster Jeep Location so that they did not receive a citation.
 I was able to complete two certificate inspections on the compressor tanks that are on location there. MacDonald - 1/14/19

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD035827V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000731337		Buckeye	1986	11/14/2020	Recurring Cert	Active	Outside Shed
MD122936V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000393760		Steel Fab	2005	11/14/2020	Recurring Cert	Active	Outside Shed
Total Objects at this location					2						

Location: LGIT - Carroll Co/Westminster Library **Location ID:** 728855
Address: 50 E Main St Westminster, MD 21157-5007 **Phone:** 410-386-4490
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Carroll County Commissioners - Bureau of Facilities - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700
Christina Kuntz, Branch Manager - 50 E Main St Westminster, MD 21157-5007 - Phone: 410-386-4490
Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd - c/o Bureau of Facilities Westminster, MD 21158-3062 - Phone: 410-386-6700

My Company Comments:

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083992H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2532238	Weil-McLain	1993	03/10/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: LGIT - Carroll Co/Westminster Senior Center
Address: 125 Stoner Ave Westminster, MD 21157-5451
County: Carroll

Location ID: 728864
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Comments:

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148119V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000123828		Trane	2004	11/12/2021	Recurring Cert	Active	Mechanical Room
MD153012H	#1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000321323		Lochinvar	2014	11/12/2021	Recurring Cert	Active	Mechanical Room
MD153013H	#2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000309541		Lochinvar	2014	11/12/2021	Recurring Cert	Active	Mechanical Room
Total Objects at this location					3						

Location: LGIT - Carroll County/Community College
Address: 1601 Washington Rd Westminster, MD 21157-6944
County: Carroll

Location ID: 706139
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Other Contact(s): Blaine Flickinger, Facilities Mgr. - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: bflickinger@ccg.carr.org
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
 Mike Whitson, Bureau Chief - 1250 Old Meadow Branch Rd Westminster, MD 21158 - Phone: 410-386-6700

My Company Comments: Contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134122H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	2009	10/20/2020	External Cert, Recurring Cert	Active	K Building Room K131
MD134123H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	2009	10/20/2020	External Cert, Recurring Cert	Active	K Building, Room K131
MD134124V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001574250		Campbell Hausfeld	2009	10/20/2020	External Cert, Recurring Cert	Active	K Building, Room K131
MD134125H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126797	0309126797	PVI Industries	2009	10/20/2020	External Cert, Recurring Cert	Active	K Building, Room K107
Total Objects at this location					4						

Location: **LGIT - Carroll County/Courthouse Annex** **Location ID:** 708152
Address: 55 N Court St Westminster, MD 21157-5155 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Comments:
My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD107038H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-2000-149	H B Smith	2000	02/02/2021	Recurring Cert	Active	Boiler Room
MD107039H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	GB300-2000-148	H B Smith	2000	02/02/2021	Recurring Cert	Active	Boiler Room
MD150497V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000709519	A12819	Steel Fab	2012	02/03/2021	Recurring Cert	Active	Mechanical room
Total Objects at this location				3						

Location: LGIT - Carroll County/Detention Center **Location ID:** 706141
Address: 100 N Court St Westminster, MD 21157-5783 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
RISK MANAGER - 100 NORTH COURT STREET WESTMINSTER, MD 21157 - Phone: 314-214-2700

My Company Comments: Debbe Mundorff 410 386 6700
Waiting for paperwork will call when they are ready for inspection
Joe Farinholt said another boiler is coming on line call back in 2 weeks
Blane Flickinger or Justin Megonell
Joe Farinholt said he is retiring, his job will be taken over by
Blaine Flickinger 410 386 6700
Scott said he would do this job for me when its ready

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD076047V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009132		Steel Fab	1984	10/30/2021	Recurring Cert	Active	Sheriffs Office Mechanical Rm
MD102324H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210	000095544	089895544	PVI	1998	10/30/2021	Recurring Cert	Active	Upper Boiler Room

F)										
MD154570H	#1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000038852	R B I	2015	10/30/2021	Recurring Cert	Active	Sheriff's officeboiler room
MD154571H	#2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000038853	R B I	2015	10/30/2021	Recurring Cert	Active	Sheriff's Office Boiler Rm
MD154572H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000038849	R B I	2015	10/30/2021	Recurring Cert	Active	Upper Blr Rm
MD154573H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000038850	R B I	2015	10/30/2021	Recurring Cert	Active	Upper Blr Rm
MD161299H		Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 210 F)	CA	Laars	2018	10/30/2021	Recurring Cert	Active	Sheriff Boiler Room
Total Objects at this location				7						

Location: LGIT - Carroll County/Facilities-Fleet

Address: 1250 Old Meadow Branch Rd Westminster, MD 21158-3062

County: Carroll

Primary Contact: Justin Megonnell, Facilities Manager - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov

Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov

Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov

Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd - c/o Bureau of Facilities Westminster, MD 21158-3062 - Phone: 410-386-6700

My Company Comments: Contact update.

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142264V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000153606		Manchester	2006	04/24/2021	Recurring Cert	Active	Rear Garage
MD158889V		Horizontal Unfired	V - Storage (NOT Cryogenic)	001719618		Manchester	2016	04/24/2021	Recurring Cert	Active	Boiler Room

	Pressure Vessel w/comment									
MD160815H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A O Smith	2017	04/24/2021	Recurring Cert	Active	Boiler Room	
MD163770V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002033399	Manchester	2018	04/24/2021	Recurring Cert	Active	Grounds Shop	
MD163771V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000641960	Morganton	2018	04/24/2021	Recurring Cert	Active	Car Wash Mechanical	
MD163772H	Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 250 F)	000341448	Sermeta	2015	04/24/2021	Recurring Cert	Active	Car Wash	

Total Objects at this location 6

Location: LGIT - Carroll County/Farm Museum **Location ID:** 706144
Address: 500 S Center St Westminster, MD 21157-5664 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Farm #706144
Comments: MD102992H certificate issued Reynolds 4/11/2018

My Shared
Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102292H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	GB300-99-32	H B Smith	1999	03/10/2022	Recurring Cert	Active	Main House
MD166303H		Cast Iron	H - Hot Water Heat (Water <=	CI		Burnham	2019	11/19/2021	Recurring Cert	Active	Crafts Building

Total Objects at this location 2

Location: LGIT - Carroll County/Freedom Water Treatment Plt **Location ID:** 711348
Address: 5631 Oakland Rd Sykesville, MD 21784-6828 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158 - Phone: 410-536-0808
Other Contact(s): Brandon Frebertshavser, Superintendent - 5631 Oakland Rd Sykesville, MD 21784-6828 - Phone: 410-795-0223 - Email: freedomplant@ccg.carr.org
 Daniel Crockett, Plant Superintendent - 5631 Oakland Rd Sykesville, MD 21784-6828 - Phone: 410-386-2164 - Cell: 443-547-7031 - Email: dcrockett@carrollcountymd.gov
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Greg Wantz, superintendent - 5631 Oakland Rd Sykesville, MD 21784-6828 - Phone: 4107950223
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158 - Phone: 410-536-0808

My Company**Comments:****My Shared****Comments:** Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081008V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000717065		Wood	1978	06/05/2021	Recurring Cert	Active	Chemical Room
MD081009V	3	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001085		Zambelli	1969	06/05/2021	Recurring Cert	Active	Chemical Room
MD094580V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035279		Steel Fab	1996	06/05/2021	Recurring Cert	Active	sand filter rm
MD133285V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001220		George Marker	2007	06/05/2021	Recurring Cert	Active	DAF Unit
MD133286V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001221		George Marker	2007	06/05/2021	Recurring Cert	Active	DAF Unit

MD133287V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000180609	Manchester	2007	06/05/2021	Recurring Cert	Active	Blower Room
MD133288V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000783599	Manchester	2007	06/05/2021	Recurring Cert	Active	Blower Room
MD133289V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000776460	Manchester	2007	06/05/2021	Recurring Cert	Active	Blower Room

Total Objects at this location 8

Location: LGIT - Carroll County/Hampstead Waste Water Treatm
Address: 4455 North Woods Trail Hampstead, MD 21074-3145
County: Carroll
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Wendy Armstrong, Superintendent - 4455 North Woods Trail Hampstead, MD 21074-3145 - Phone: 410-374-6180 - Email: warmstrong@ccg.carr.org

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087212V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072930		Stoystown Tank & Steel	1993	03/10/2022	Recurring Cert	Active	Press Building
MD087213V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic) H	00036393		Brunner	1993	03/10/2022	Recurring Cert	Active	Press Building

Total Objects at this location 2

Location: LGIT - Carroll County/Hashawha Environmental Ctr.
Address: 300 John Owings Rd Westminster, MD 21158-3149
County: Carroll

Location ID: 705779
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Carroll County Commissioners - Bureau of Facilities - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd - c/o Bureau of Facilities Westminster, MD 21158-3062 - Phone: 410-386-6700

My Company

Comments:
My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147585H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000249008		Lochinvar/Giannoni	2012	11/12/2021	Recurring Cert	Active	Boiler Room
MD147586H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000231430		Lochinvar/Giannoni	2012	11/12/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: LGIT - Carroll County/Historic Courthouse
Address: 1 Court Pl Westminster, MD 21157-5124
County: Carroll

Location ID: 713849
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158 - Phone: 410-536-0808
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company

Comments:

My Shared

Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152799H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28HE-S/W-08	HB Smith	2015	11/12/2021	Recurring Cert	Active	Boiler Room
Total Objects at this location											1

Location: LGIT - Carroll County/Humane Society **Location ID:** 706147
Address: 2517 Littlestown Pike Westminster, MD 21158-2230 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Nikki Radcliff - 2517 Littlestown Pike Westminster, MD 21158-2230 - Phone: 4103866700 - Cell: 4108484810

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097447H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP3238235	Weil-McLain	1997	02/17/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location											1

Location: LGIT - Carroll County/Multi-Service Center **Location ID:** 719320
Address: 224 N Center St Westminster, MD 21157-5134 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov

Owner Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Other Contact(s): Blaine Flickinger, Facilities Mgr. - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: bflickinger@ccg.carr.org
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
 Mike Whitson, Bureau Chief - 1250 Old Meadow Branch Rd Westminster, MD 21158 - Phone: 410-386-6700

My Company Comments: Contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149921H	1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron		Weil-McLain	2014	10/20/2020	Recurring Cert	Active	Basement Boiler Room
Total Objects at this location					1						

Location: LGIT - Carroll County/North Carroll Branch Library **Location ID:** 719775
Address: 2255 Hanover Pike Hampstead, MD 21074-1317 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Comments:
My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153869H	#1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004620		R B I	2015	11/12/2021	Recurring Cert	Active	Boiler Room
MD153870H	#2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004613		R B I	2015	11/12/2021	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: LGIT - Carroll County/North Carroll Rec Center
Address: 1400 Panther Dr Hampstead, MD 21074-1615
County: Carroll

Location ID: 719744
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Comments: Contact update.

My Shared Comments: Location has been closed as a Carroll Co School and returned to Carroll Co Govt ownership.
 Violation follow up scheduled for October 15, 2018 - Zalusky CNA

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122900H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	N2004-622	H B Smith	2004	06/28/2022	External Cert	Active	Boiler Room
MD122902H	Boiler #3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	N2004-633	H B Smith	2004	06/28/2022	External Cert	Active	Boiler Room
MD122903H	Boiler #6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	N2004-634	H B Smith	2004	06/28/2022	External Cert	Active	Boiler Room
MD122904H	Boiler #5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	N2004-636	H B Smith	2004	06/28/2022	External Cert	Active	Boiler Room
MD122905H	Boiler #4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	N2004-637	H B Smith	2004	06/28/2022	External Cert	Active	Boiler Room
MD149277V	Chiller #2	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000120240		Trane	2004	06/28/2022	Recurring Cert	Active	Boiler Room
MD149278V	Chiller #1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000120236		Trane	2004	06/28/2022	Recurring Cert	Active	Boiler Room
MD161295V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001699108		Manchester	2016	07/06/2022	Recurring Cert	Active	Boiler Room

MD161296H	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000209978	A O Smith	2015	07/06/2022	Recurring Cert	Active	Boiler Room
MD164067V	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001978348	Manchester	2018	07/06/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 10

Location: LGIT - Carroll County/North Carroll Senior Center **Location ID:** 1904438
Address: 2328 Hanover Pike Greenmount, MD 21074-1151 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Carroll County Commissioners - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company

Comments:

My Shared

Comments: CNA picked up 3/26/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124892H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		HB Smith	2005	03/27/2021	Recurring Cert	Active	Boiler Room
MD124893H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109999		A O Smith	2005	03/27/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: LGIT - Carroll County/Office Building **Location ID:** 708101
Address: 225 N Center St Westminster, MD 21157-5108 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov

Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
 Tate Engineering System - 8533 Terminal Rd # A Lorton, VA 22079-1428 - Phone: (703) 339-0014 (800) 758-8283

My Company Comments:

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141880V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000631606		Steel Fab	2010	03/10/2022	Recurring Cert	Active	Boiler Room
MD141881H	1	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000170281		Giannoni France	2010	03/10/2022	Recurring Cert	Active	Boiler Room
MD141882H	2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000170224		Giannoni France	2010	03/10/2022	Recurring Cert	Active	Boiler Room
MD141883H	3	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000170233		Giannoni France	2010	03/10/2022	Recurring Cert	Active	Boiler Room

Total Objects at this location 4

Location: LGIT - Carroll County/Public Library Headquarters **Location ID:** 2497109
Address: 1100 Green Valley Rd New Windsor, MD 21776-9710 **Phone:** 301-418-1239
County: Carroll **NOB/SIC:**
Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): CARROLL COUNTY BUREAU OF FACILITIES - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 DAVID L. GIST , FACILITIES MANAGER - 1250 OLD MEADOW BRANCH ROAD (BUREAU OF FACILITIES WESTMINSTER, MD 21158 - Phone: 410-386-6700
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130759H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105482		Fulton	2007	02/17/2022	Recurring Cert	Active	Boiler Room 2
MD130760H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105479		Fulton	2007	02/17/2022	Recurring Cert	Active	Boiler Room 2
MD130761H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105477		Fulton	2007	02/17/2022	Recurring Cert	Active	Boiler Room 1
MD130762H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105476		Fulton	2007	02/17/2022	Recurring Cert	Active	Boiler Room 1
Total Objects at this location					4						

Location: LGIT - Carroll County/Regional Airport
Address: 200 Airport Dr Westminster, MD 21157-3045
County: Carroll

Location ID: 706132
Phone: 410-876-9885
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Joseph McKelvey, Airport Manager - 200 Airport Dr Westminster, MD 21157-3045 - Phone: 410-876-9885 - Cell: 443-375-7713 - Email: jmckelvey@ccg.carr.org
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
 Mark Myers, Airport Maintenance - 200 Airport Dr Westminster, MD 21157-3045 - Phone: 717-515-5620 - Email: mmyers@ccg.carr.org

**My Company
Comments:**

**My Shared
Comments:** PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115091H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138504	B026372	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger #7

MD115092H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138503	B026371	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hangers #1
MD116218H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000144434	H02H00144434	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger#2
MD116219H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000137121	A025073	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger#3
MD116220H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138505	B026373	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger#4
MD116221H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138506	B026374	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger#5
MD116222H	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000138501	B026370	Lochinvar	2002	03/09/2021	Recurring Cert	Active	Hanger#6
Total Objects at this location					7					

Location: LGIT - Carroll County/Robert Moton Center
Address: 300 S Center St Westminster, MD 21157-5364
County: Carroll

Location ID: 706148
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Carroll County Junior College - 300 S Center St Westminster, MD 21157-5248 - Phone: 3018488280
 Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
 Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

My Company Comments:

My Shared Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129646H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	070068	HB Smith	2008	03/10/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location			1								

Location: LGIT - Carroll County/South Carroll Multi Purpose
Address: 6400 W Hemlock Dr Sykesville, MD 21784-6538
County: Carroll

Location ID: 725254
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

**My Company
Comments:**

**My Shared
Comments:** PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD057096H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	211-7644	Peerless	1983	02/17/2022	Recurring Cert	Active	Boiler Room
MD057097V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028096		Stoystown Tank & Steel	1983	02/17/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: LGIT - Carroll County/Union Mills Musuem
Address: 3311 Littlestown Pike Westminster, MD 21158-2137
County: Carroll

Location ID: 727425
Phone:
NOB/SIC:

Primary Contact: Dave Valentine, Facilities Manager - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Billing Contact: Dave Valentine - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Cert Contact: Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Owner Contact: Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org
Other Contact(s): Dave Valentine, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Cell: 443-375-1039 - Email: dvalentine@carrollcountymd.gov
Jane Sewell, Ex Director at address - 3311 Littlestown Pike Westminster, MD 21158-2137 - Phone: 410-848-2288
Justin Megonnell, Facilities Manager - 1250 Old Meadow Branch Rd Westminster, MD 21158-3062 - Phone: 410-386-6700 - Email: jmegonnell@ccg.carr.org

**My Company
Comments:**

My Shared

Comments: PER CRAIG LOWRY: DO NOT CHANGE CARROLL COUNTY COMMISSIONERS CONTACT FOR LOCATION WITHOUT CONTACTING STATE OF MARYLAND SAFETY INSPECTION UNIT dc 5/13/04

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location	
MD142265H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65125047	Burnham	2009	08/10/2022	Recurring Cert	Active	Basement of Schriber homestead	
Total Objects at this location					1							

Location: LGIT - City of Taneytown/Utility Shop **Location ID:** 1929658
Address: 131 W Baltimore St Taneytown, MD 21787-2375 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: John Welty - Phone: 410-756-6220
Billing Contact: Kevin L Smeak - 17 E Baltimore St Taneytown, MD 21787-2107 - Phone: 410-751-1100 - Email: ksmeak@taneytown.org
Cert Contact: Kevin L Smeak, Director of Public Works - 17 E Baltimore St Taneytown, MD 21787-2107 - Phone: 410-751-1100 - Email: ksmeak@taneytown.org
Owner Contact: Kevin L Smeak, Director of Public Works - 17 E Baltimore St Taneytown, MD 21787-2107 - Phone: 410-751-1100 - Email: ksmeak@taneytown.org
Other Contact(s): John Welty - 131 E Baltimore St Memorial Park Taneytown, MD 21787-2375 - Phone: 410-756-6220
 Kevin L Smeak, Director of Public Works - 17 E Baltimore St Taneytown, MD 21787-2107 - Phone: 410-751-1100 - Email: ksmeak@taneytown.org
 Paterick O'Neil - 131 W Baltimore St Taneytown, MD 21787-2025 - Phone: 410-756-2677
 Richard Weaver, Director of Public Works - 17 E Baltimore St Taneytown, MD 21787-2107 - Phone: 410-751-1100 - Email: rjweaver@taneytown.org

My Company Comments: Cert, invoice and owner update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123655V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000018058		Stoystown	1980	03/10/2022	Recurring Cert	Active	Garage
Total Objects at this location					1						

Location: LGIT - Sykesville Town/City Hall **Location ID:** 3274792
Address: 7547 Main Street Sykesville, MD 21784-7366 **Phone:** (301) 693-2415 x
County: Carroll **NOB/SIC:**
Primary Contact: Mark Onbeiser, Special Projects Coordinator - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net
Billing Contact:
Cert Contact: Mark Onbeiser, Special Projects Coordinator - 7547 Main St Sykesville, MD 21784-7366 - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net

Owner Contact:**Other Contact(s):** Mark Onbeiser, Special Projects Coordinator - 7547 Main St Sykesville, MD 21784-7366 - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net**My Company****Comments:****My Shared****Comments:**

Town plans to replace boiler within the next 12-months and, states they has requested an extension.
 Town was not aware of Maryland boiler requirements - The boiler in this building is scheduled to be replaced - The town would like to wait 4 months to replace existing boiler rather than put \$ 2000 into the existing boiler then replace it with new in Spring.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164489H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Bosch	2019	08/01/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: LGIT - Sykesville Town/Gatehouse Museum**Address:** 7283 Cooper Dr Sykesville, MD 21784-7504**County:** Carroll**Primary Contact:** Mark Onbeiser, Special Projects Coordinator - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net**Billing Contact:** Mark Onbeiser - 7547 Main St Sykesville, MD 21784-7366 - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net**Cert Contact:** Mark Onbeiser, Special Projects Coordinator - 7547 Main St Sykesville, MD 21784-7366 - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net**Owner Contact:****Other Contact(s):** Mark Onbeiser, Special Projects Coordinator - 7547 Main St Sykesville, MD 21784-7366 - Phone: 410-795-6390 - Cell: 443-536-4040 - Email: monheiser@sykesville.net**My Company****Comments:****My Shared****Comments:**

Left message about arranging access on either 4/3/2019 or 4/5/2019

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161918H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB		Burnham	1996	02/01/2021	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: LGIT - Town of Manchester / Garage**Address:** 3351 Victory St Manchester, MD 21102-1601**County:** Carroll**Primary Contact:** Steve Miller, Town Administrator - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov**Location ID:** 3920804**Phone:** 410-329-3200**NOB/SIC:**

Billing Contact: Steve Miller - 3337 Victory St P.O. Box 830 Manchester, MD 21102-1601 - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov
Cert Contact: Steve Miller, Town Administrator - 3337 Victory St P.O. Box 830 Manchester, MD 21102-1601 - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov
Owner Contact:
Other Contact(s): Steve Miller, Town Administrator - 3337 Victory St - P.O. Box 830 Manchester, MD 21102-1601 - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161892V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000190181		Steel Fab	1998	01/28/2021	Recurring Cert	Active	Garage Bay
Total Objects at this location					1						

Location: **LGIT - Town of Manchester/Town Hall** **Location ID:** 718031
Address: 3208 York St Manchester, MD 21102-2059 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Steve Miller, Town Administrator - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov
Billing Contact: Town of Manchester - PO Box 830 3337 Victory St Manchester, MD 21102-0830
Cert Contact: Steve Miller, Town Administrator - 3337 Victory St P.O. Box 830 Manchester, MD 21102-1601 - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov
Owner Contact: Town of Manchester - PO Box 830 3337 Victory St Manchester, MD 21102-0830
Other Contact(s): Manchester Town/Government - 3208 York St Manchester, MD 21102-2059 - Phone: 410-239-3200 - Email: info@manchestermd.gov
 Steve Miller, Town Administrator - 3337 Victory St - P.O. Box 830 Manchester, MD 21102-1601 - Phone: 410-239-3200 - Email: slmiller@manchestermd.gov
 Town of Manchester - PO Box 830 3337 Victory St Manchester, MD 21102-0830

My Company Comments: Town of Manchester moved office, updating.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158632H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2015	02/10/2021	Recurring Cert	Active	Bsmt Blrm
Total Objects at this location					1						

Location: LGIT - Westminster City/City Family Center
Address: 11 Longwell Ave Westminster, MD 21157-9301
County: Carroll

Location ID: 703087
Phone:
NOB/SIC:

Primary Contact: Brian DeMay, Safety Risk Coordinator Human Resources - Phone: 410-848-2202 - Email: bdemay@westgov.com
Billing Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Cert Contact: Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
Owner Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Other Contact(s): Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
 Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
 Wayne Reifsnider, Asst. Superintendent - 56 W Main St Westminster, MD 21157-4844 - Cell: 443-277-1264
 Westminster City Hall - 1838 Emerald Hill Dr Westminster, MD 21157-5367 - Phone: 410-848-9393

My Company Comments: Location name and contact update.

My Shared Comments: Talked to Wayne Reifsnider who clarified the mailing address for 105 Railroad, 11 Longwell, 100 Longwell, 1161 Old New Windsor, and 56 W Main.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132479H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2006	09/08/2021	Recurring Cert	Active	BOILER ROOM
Total Objects at this location					1						

Location: LGIT - Westminster City/Cranberry Water Treat
Address: 401 Lucabaugh Rd. Westminster, MD 21157
County: Carroll

Location ID: 2520270
Phone:
NOB/SIC:

Primary Contact: Brian DeMay, Safety Risk Coordinator Human Resources - Phone: 410-848-2202 - Email: bdemay@westgov.com
Billing Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Cert Contact: Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
Owner Contact:
Other Contact(s): Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
 Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD132525V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000568643	Silvan	2008	03/02/2021	Recurring Cert	Active	COMP ROOM
MD132526V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000578571	Silvan	2008	03/02/2021	Recurring Cert	Active	COMP ROOM
MD132527V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000932673	Manchester	2008	03/02/2021	Recurring Cert	Active	COMP ROOM
MD132528V	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000932687	Manchester	2008	03/02/2021	Recurring Cert	Active	COMP ROOM

Total Objects at this location 4

Location: LGIT - Westminster City/Street Dept
Address: 105 Railroad Ave Westminster, MD 21157-4803
County: Carroll
Primary Contact: Brian DeMay, Safety Risk Coordinator Human Resources - Phone: 410-848-2202 - Email: bdemay@westgov.com
Billing Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Cert Contact: Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
Owner Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Other Contact(s): Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
City Of Westminster - 105 Railroad Westminster, MD 21157 - Phone: 3018489077
Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Wayne Reifsnider, Asst. Superintendent - 56 W Main St Westminster, MD 21157-4844 - Cell: 443-277-1264
Westminster City Hall - 1838 Emerald Hill Dr Westminster, MD 21157-5367 - Phone: 410-848-9393

Location ID: 707246
Phone:
NOB/SIC:

My Company Comments: Location name and contact update.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116245H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	N93-937	HB Smith	1997	09/08/2021	Recurring Cert	Active	BLRM
MD144352V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)		000441576	Steel Fab	2006	09/08/2021	Recurring Cert	Active	Garage

Location: LGIT - Westminster City/Utility Maintenance **Location ID:** 2505628
Address: 631 Old Manchester Rd Westminster, MD 21157 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Brian DeMay, Safety Risk Coordinator Human Resources - Phone: 410-848-2202 - Email: bdemay@westgov.com
Billing Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Cert Contact: Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
Owner Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Other Contact(s): Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
 Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
 Mike Zechman, Superintendent - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-9565 - Cell: 443-277-1046 - Email: mzechman@westgov.com
 Westminster City Hall - 1838 Emerald Hill Dr Westminster, MD 21157-5367 - Phone: 410-848-9393

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132484V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000041891		I.R.	2002	09/08/2021	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: LGIT - Westminster City/WWTP **Location ID:** 724706
Address: 1161 Old New Windsor Pike Westminster, MD 21158-4314 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Brian DeMay, Safety Risk Coordinator Human Resources - Phone: 410-848-2202 - Email: bdemay@westgov.com
Billing Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Cert Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Owner Contact: Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
Other Contact(s): Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com
 Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2702
 John Rawlings, Superintendent - 1161 Old New Windsor Pike Westminster, MD 21158-4314 - Phone: 410-848-4380 - Email: jrawlings@westgov.com
 Vance - 56 West Main Street Westminster, MD 21158 - Phone: 410-848-4380
 Wayne Reifsnider, Asst. Superintendent - 56 W Main St Westminster, MD 21157-4844 - Cell: 443-277-1264
 Westminster City Hall - 1838 Emerald Hill Dr Westminster, MD 21157-5367 - Phone: 410-848-9393

My Company**Comments:****My Shared**

Comments: Talked to Wayne Reifsnider who clarified the mailing address for 105 Railroad, 11 Longwell, 100 Longwell, 1161 Old New Windsor, and 56 W Main.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD051248V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000793188		Wood	1981	09/08/2021	Recurring Cert	Active	TRUCK BAY
MD078596V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000062781		Manchester	1990	09/08/2021	Recurring Cert	Active	SLUDGE DE-WATERING
MD078597V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000135788		La Grange Products	1990	09/08/2021	Recurring Cert	Active	SEPTAGE FACILITY
Total Objects at this location					3						

Location: LGIT- Westminster City**Address:** 45 W Main St Westminster, MD 21157-4815**County:** Carroll**Primary Contact:** Isreal Spence, Lead Building Engineer - Cell: 484-746-0600 - Email: israel.spence@chbre.com**Billing Contact:** Brian DeMay - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com**Cert Contact:** Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com**Owner Contact:** Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com**Other Contact(s):** Brian DeMay, Safety Risk Coordinator Human Resources - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-2202 - Email: bdemay@westgov.com

Ed Gottlieb - 45 W Main St Westminster, MD 21157-4815 - Phone: 4108573474

Elizabeth A. Drumgoole - 45 W Main St Westminster, MD 21157-4815 - Phone: 410-857-3455 - Email: edrumgoole@bbandt.com

Isreal Spence, Lead Building Engineer - 204 Hepburn St Williamsport, PA 17701-6515 - Cell: 484-746-0600 - Email: israel.spence@chbre.com

Jeffrey D Glass, Director of Public Works - 56 W Main St Westminster, MD 21157-4844 - Phone: 410-848-9000

Karen Orvis - 45 W Main St Westminster, MD 21157-4815 - Phone: 410-857-3468

My Company Citation-----Boiler Inspection Citation Invoice Number 110926**Comments:** Brian A. DeMay <bdemay@westgov.com>
12:57 PM (2 hours ago)

Good morning,

The City of Westminster is in receipt of the attached citation for two missed boiler inspections for the recently acquired property at 45 West Main Street, Westminster, MD 21157. The previous owner of the building did not forward the boiler inspection notices to the City upon purchase of the building. It was only discovered that the inspections were past due when the previous owner forwarded the citation to the City. Upon receiving the citation, on December 18, 2018, the City immediately contacted its CNA Insurance boiler inspector, and the inspection was completed as soon as could be scheduled which was December 20, 2018. The building at 45 West Main Street was purchased for future use as an administrative office building for the City, and will undergo major renovations prior to the City moving its offices.

The City of Westminster takes safety very seriously, and has a record of compliance for boiler and pressure vessel inspections. To my knowledge, this is the first time the City has missed a boiler inspection deadline.

I am requesting, on behalf of the City of Westminster, for the citation to be waived based on the fact that the previous owner did not provide the necessary documentation to make the City aware of the inspection due date. Had the City been aware of the due date, the inspections would have been completed timely. In addition, upon notification that the inspections were past due, the City made every effort to get the inspections completed as soon as possible.

Thank you for your consideration of the City's request, and I look forward to your reply.

Brian A. DeMay

Safety & Risk Coordinator

City of Westminster

56 West Main Street

Westminster, MD 21157

Phone: 410-848-2202

Fax: 410-871-4411

www.westminstermd.gov 1/23/19

City of Westminster purchases the building in July 2018

Recommend Closing citation. in compliance (government

The citation was issued to the previous owner and the invoice issued to the City of Westminster. Please void both the citation and invoice 110926, per K. Kraft.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144761H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000109346		Fulton	2009	12/20/2020	Recurring Cert	Active	Boiler Room
MD144762H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	0109352		Fulton	2009	12/20/2020	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Liberatore's Ristorante (ARC3) **Location ID:** 4006496
Address: 521 Jermor Ln Westminster, MD 21157-6191 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Liberatore's Ristorante (ARC3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166624V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142626		CHART	2002	01/10/2022	Recurring Cert	Active	Kitchen
Total Objects at this location					1						

Location: Liberatore's Ristorante (Arc3) **Location ID:** 4002054
Address: 6300 Georgetown Blvd Sykesville, MD 21784-6481 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Liberatore's Ristorante (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166258V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142630		CHART	2002	12/09/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Linwood Brethren Church
Address: 575 McKinstry Mill Rd Linwood, MD 21791-8825
County: Carroll
Primary Contact: Larry Garber - Phone: 410-775-2343
Billing Contact: Dave Keiffer - 575 McKinstry Mill Rd Linwood, MD 21791-8825 - Phone: 410-775-2407
Cert Contact: Larry Garber - 575 McKinstry Mill Rd Linwood, MD 21791-8825 - Phone: 410-775-2343
Owner Contact: Dave Keiffer - 575 McKinstry Mill Rd Linwood, MD 21791-8825 - Phone: 410-775-2407
Other Contact(s): Dave Keiffer - 575 McKinstry Mill Rd Linwood, MD 21791-8825 - Phone: 410-775-2407
Larry Garber - 575 McKinstry Mill Rd Linwood, MD 21791-8825 - Phone: 410-775-2343

Location ID: 716695
Phone: 410-775-2200
NOB/SIC:

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103889H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	1999	01/20/2022	Recurring Cert	Active	Closet
Total Objects at this location					1						

Location: Living Water Presbyterian Church
Address: 321 Clear Ridge Rd Union Bridge, MD 21791-9037
County: Carroll
Primary Contact: Gideon Min, Pastor - Phone: 240-753-5321 - Email: mjj0227@gmail.com

Location ID: 727434
Phone: 410-775-7744
NOB/SIC:

Billing Contact: Gideon Min - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 240-753-5321 - Email: mjj0227@gmail.com
Cert Contact: Gideon Min, Pastor - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 240-753-5321 - Email: mjj0227@gmail.com
Owner Contact: Gideon Min, Pastor - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 240-753-5321 - Email: mjj0227@gmail.com
Other Contact(s): Gideon Min, Pastor - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 240-753-5321 - Email: mjj0227@gmail.com
 Judy Goldsmith, Office Manager - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 410-857-9644
 Kether Moore - 321 Clear Ridge Rd Union Bridge, MD 21791-9037 - Phone: 410-379-0760

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048693H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7529955	Burnham	1977	02/18/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Lou Mielkes Car Care Service **Location ID:** 716957
Address: 4044 Sykesville Rd Finksburg, MD 21048-2619 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Lou Mielkes Car Care Service - Phone: 4107954597
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Lou Mielkes Car Care Service - 4044 Sykesville Rd Finksburg, MD 21048-2619 - Phone: 4107954597

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162122V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031536		Itaxing	2017	01/07/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Loyal Order Of Moose Lodge #1381 **Location ID:** 716987
Address: 309 Buena Vista Dr Westminster, MD 21157-5503 **Phone:** 410-857-5821
County: Carroll **NOB/SIC:**
Primary Contact: Westminster Lodge #1381 - Phone: 410-857-5821 - Email: loom1381@verizon.net
Billing Contact: Westminster Lodge #1381 - PO Box 751 Westminster, MD 21158-0751 - Phone: 410-857-5821 - Email: loom1381@verizon.net
Cert Contact: Westminster Lodge #1381 - PO Box 751 Westminster, MD 21158-0751 - Phone: 410-857-5821 - Email: loom1381@verizon.net
Owner Contact: Westminster Lodge #1381 - PO Box 751 Westminster, MD 21158-0751 - Phone: 410-857-5821 - Email: loom1381@verizon.net
Other Contact(s): Loyal Order Of Moose Lodge - 309 Buena Vista Dr Westminster, MD 21157-5503 - Phone: 410-848-9725 - Email: loom1381@verizon.net
 Westminster Lodge #1381 - PO Box 751 Westminster, MD 21158-0751 - Phone: 410-857-5821 - Email: loom1381@verizon.net

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142687H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2006	05/09/2022	Recurring Cert	Active	Basement
Total Objects at this location					1						

Location: M & S Truck Repair Inc. **Location ID:** 717075
Address: 1067 Francis Scott Key Hwy Keymar, MD 21757-9233 **Phone:** 410-775-2766
County: Carroll **NOB/SIC:**
Primary Contact: Roland E. Smith, President - Phone: 410-775-2766 - Email: mstruck@verizon.net
Billing Contact: Roland E. Smith - PO Box 37 Keymar, MD 21757-0037 - Phone: 410-775-2766 - Email: mstruck@verizon.net
Cert Contact: M & S Truck Repair Inc - PO Box 37 Keymar, MD 21757-0037
Owner Contact: Roland E. Smith, President - PO Box 37 Keymar, MD 21757-0037 - Phone: 410-775-2766 - Email: mstruck@verizon.net
Other Contact(s): M & S Truck Repair Inc - PO Box 37 Keymar, MD 21757-0037
 Roland E. Smith, President - PO Box 37 Keymar, MD 21757-0037 - Phone: 410-775-2766 - Email: mstruck@verizon.net

My Company Comments: Customer (Dotty 443 974 3251) called and stated the property is in the process of being sold. The equipment is still connected, I am sending a list of the AIA's to the customer to arrange the inspection.
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088044V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000145173		John Wood	1954	01/26/2022	Recurring Cert	Active	Compressor Room

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145069V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000682181		Steel Fab	2011	01/26/2022	Recurring Cert	Active	Comp Rm

Total Objects at this location 2

Location: Maggie's Restaurant (Arc3) **Location ID:** 4006497
Address: 310 E Green St Westminster, MD 21157-5455 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Maggie's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166625V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166246		CHART	2005	01/10/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Martin's (Arc3) **Location ID:** 4006492
Address: 140 Village Shopping Center Westminster, MD 21157 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Martin's (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166623V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003883		Taylor	1988	01/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: **Matthews Tire Co.** **Location ID:** 717986
Address: 1219 N Main St Hampstead, MD 21074-2200 **Phone:** 410-374-4844
County: Carroll **NOB/SIC:**
Primary Contact: Matthews Tire Co.
Billing Contact: Mark W. Wright - 1219 N Main St Hampstead, MD 21074-2200 - Phone: 410-374-4844 - Email: mark@matthewstireco.com
Cert Contact: Mark W. Wright - 1219 N Main St Hampstead, MD 21074-2200 - Phone: 410-374-4844 - Email: mark@matthewstireco.com
Owner Contact: Mark W. Wright - 1219 N Main St Hampstead, MD 21074-2200 - Phone: 410-374-4844 - Email: mark@matthewstireco.com
Other Contact(s): Mark W. Wright - 1219 N Main St Hampstead, MD 21074-2200 - Phone: 410-374-4844 - Email: mark@matthewstireco.com
 Matthews Tire Co. - 1219 N Main St Hampstead, MD 21074-2200
 Matthews Tire Co. - PO Box 172 Hampstead, MD 21074-0172 - Phone: 410-374-4844

**My Company
Comments:** Matthews Tire #717986
 MD143789V certificate issued
 MD160044V certificate issued Reynolds 3/15/2018
 No longer have PO Box 172, update to location address. (Inv. #112161)

**My Shared
Comments:** Contact update.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143789V	#1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000630487		Steel Fab	2010	02/04/2022	Recurring Cert	Active	Shop
MD160044V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000844208		Steel Fab	2017	03/15/2022	Recurring Cert	Active	Shop

Total Objects at this location 2

Location: Maurer & Miller
Address: 3278 Main St Manchester, MD 21102-1958
County: Carroll
Primary Contact: Maurer & Miller - Phone: 410 410-374-2884
Billing Contact: Maurer & Miller - PO Box 717 Manchester, MD 21102-0717 - Phone: 410 410-374-2884
Cert Contact: Maurer & Miller - PO Box 717 Manchester, MD 21102-0717 - Phone: 410 410-374-2884
Owner Contact: Maurer & Miller - PO Box 717 Manchester, MD 21102-0717 - Phone: 410 410-374-2884
Other Contact(s): Maurer & Miller - PO Box 717 Manchester, MD 21102-0717 - Phone: 410 410-374-2884

Location ID: 718000
Phone:
NOB/SIC:

**My Company
Comments:**

**My Shared
Comments:** 7/22/2020: No access but spoke with owner and have scheduled for 7/29/2020

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147595H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64991082	Burnham	2007	04/07/2022	Recurring Cert	Active	BASEMNT
MD147596H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64991103	Burnham	2007	04/07/2022	Recurring Cert	Active	BASEMENT
MD147597H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64991100	Burnham	2007	04/07/2022	Recurring Cert	Active	BASEMENT
Total Objects at this location					3						

Location: Merritt Athletic Club
Address: 1388 Progress Way Sykesville, MD 21784-6463
County: Carroll
Primary Contact: Mark Milani, MSM
Billing Contact: Mark Milani - 1388 Progress Way Sykesville, MD 21784-6463
Cert Contact: Mark Milani, MSM - 1388 Progress Way Sykesville, MD 21784-6463
Owner Contact:
Other Contact(s): Mark Milani, MSM - 1388 Progress Way Sykesville, MD 21784-6463
Norine Kirby, Manager - 1388 Progress Way Sykesville, MD 21784-6463 - Phone: 410-549-8855

Location ID: 718348
Phone:
NOB/SIC:

**My Company
Comments:** Merritt Athletic #3676898
MD153596H certificate issued
MD153597H certificate issued
The address appears as 1389 Progress Way in fact it is 1388 Progress Way. Reynolds 3/29/2018
Merritt Athletic #718348

MD141453H certificate issued
 MD141454H inactive
 MD141455H certificate issued
 MD148690H certificate issued
 MD148691H certificate issued
 MD160297V certificate issued Reynolds 3/29/2018

**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148690H		Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000000655		Pemberton	2012	02/24/2022	Recurring Cert	Active	Pump Rm
MD148691H		Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000025559		Pemberton	2007	02/24/2022	Recurring Cert	Active	Womens Lkr
MD153597H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000358872		Raypack	1999	02/24/2022	Recurring Cert	Active	pump rm
MD160297V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004338		Taylor	2013	03/29/2022	Recurring Cert	Active	Pump room
MD166611H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000486565		Raypak	2018	02/24/2022	Recurring Cert	Active	Pump room
Total Objects at this location					5						

Location: Micro-Tech Designs, Inc.
Address: 4312 Black Rock Rd Hampstead, MD 21074-2641
County: Carroll
Primary Contact: Jean Duvall, Partner - Phone: 410-984-5192 - Email: dmj18336@gmail.com
Billing Contact: Mark Duvall - 18336 Brick Store Rd Hampstead, MD 21074-2834
Cert Contact: Mark Duvall, Partner - 18336 Brick Store Rd Hampstead, MD 21074-2834
Owner Contact: Mark Duvall, Partner - 18336 Brick Store Rd Hampstead, MD 21074-2834
Other Contact(s): Jean Duvall, Partner - 18336 Falls Rd Hampstead, MD 21074-2851 - Phone: 410-984-5192 - Email: dmj18336@gmail.com
 Mark Duvall, Partner - 18257 Falls Rd Hampstead, MD 21074-2818 - Phone: 410-984-3050 - Email: mark.duvall@jhu.edu
 Mark Duvall, Partner - 18336 Brick Store Rd Hampstead, MD 21074-2834

Location ID: 715897
Phone: 410-239-2885
NOB/SIC:

My Company Comments: Atlantic Services scheduled 7/19, per Jean Duvall.
 MD094465H
 Boilers@dllr.state.md.us

MAC Inspection & Welding Agency
8:51 AM (1 hour ago)
to MD, cathy.martin

All,

The above location inspection is completed with no violations. I will have the report entered into the system accordingly.

Best regards

Mike

MAC Inspection & Welding Agency
9:33 AM (50 minutes ago)
to cathy.martin, MD

Sorry. Cathy,

I entered the wrong email address for you but attached is the email I sent to the State. They are also Cc'ed in this email.

Best regards

Michael Coleman.
Scheduled Boiler Inspection LOC 715897

MAC Inspection & Welding Agency <miwallc@gmail.com>
4:23 PM (2 hours ago)
to me, Elizabeth, Jean

Good afternoon All, I hope everyone is well and staying safe. I was contacted by Ms. Jean Duvall(cc'd in this email) of JMD Properties,LLC,who owns the property that houses Micro-Tech Designs,Inc. LOC 71589, to schedule the inspection of their boiler. Unfortunately, the company that usually handles the inspection automatically is no longer doing State inspections, which is why this inspection is past due. We are scheduled to complete the inspection on Wednesday,10/7/2020. We do not have any appointments available until then but we will submit the inspection reports as soon as completed.

Enjoy the rest of your day!

Best regards,
Deborah Coleman, Contract Specialist
MAC Inspection & Welding Agency, LLC
dba MIWA
office: 410.676.9962 fax: 410.676.9963
www.macinspectionandwelding.com

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094465H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	002702788	00000	Burnham	1995	07/22/2020	Recurring Cert	Active	Boiler Room

Total Objects at this location 1

Location: Millender & Eyler's Motor Pool **Location ID:** 718679
Address: 844 S Main St Hampstead, MD 21074-2334 **Phone:** 410-239-7952/410-374-1064
County: Carroll **NOB/SIC:**
Primary Contact: Mary Moore - Phone: 410-239-7952 - Email: Millenders@verizon.net
Billing Contact: Mary Moore - 844 S Main St Hampstead, MD 21074-2334 - Phone: 410-239-7952 - Email: Millenders@verizon.net
Cert Contact: Mary Moore - 844 S Main St Hampstead, MD 21074-2334 - Phone: 410-239-7952 - Email: Millenders@verizon.net
Owner Contact: Mary Moore - 844 S Main St Hampstead, MD 21074-2334 - Phone: 410-239-7952 - Email: Millenders@verizon.net
Other Contact(s): Martha Miller - Main St Hampstead, MD 21074 - Phone: 410 239 7952
Mary Moore - 844 S Main St Hampstead, MD 21074-2334 - Phone: 410-239-7952 - Email: Millenders@verizon.net
Wesley Eyler, Owner - 844 S Main St Hampstead, MD 21074-2334 - Phone: 410-239-7952/410-374-1064 - Email: MandEmotorpool@yahoo.com

My Company Comments: Location name and contact update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072251V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000005663		Industrial Comb	1985	03/02/2021	Recurring Cert	Active	Back Room Bay

Total Objects at this location 1

Location: Modern Foundations Inc Stone Sho **Location ID:** 2208683
Address: 7860 Kabik Ct Woodbine, MD 21797-9121 **Phone:** 410 795-8877
County: Carroll **NOB/SIC:**
Primary Contact: Bruce Neale - Phone: 410 795 8877
Billing Contact: Bruce Neale - 7860 Kabik Ct Woodbine, MD 21797-9100 - Phone: 410 795 8877
Cert Contact: Bruce Neale - 7860 Kabik Ct Woodbine, MD 21797-9100 - Phone: 410 795 8877
Owner Contact: Bruce Neale - 7860 Kabik Ct Woodbine, MD 21797-9100 - Phone: 410 795 8877
Other Contact(s): Bruce Neale - 7860 Kabik Ct Woodbine, MD 21797-9100 - Phone: 410 795 8877

My Company

Comments:

Citations bpv -DLLR- <citations.bpv@maryland.gov> (sent by barbara.grant2@maryland.gov)
Jul 2, 2019, 8:59 AM (23 hours ago)
to bruce.n

Good morning,

I am including the violations verbatim below. The objects may not be in use now but they have not been issued a valid certificate for when they will be back in use. Please advise of when repairs are to be made so that it can be noted in our system. Once repaired, the objects need to be reinspected either by Hartford Steam or by a state inspector in order to close the violations.

MD143776H-

Violation - Low Water Cutoff is not installed or installed incorrectly or inoperable or damaged or leaking.

MD143775H-

Violation - Low Water Cutoff is not installed or installed incorrectly or inoperable or damaged or leaking

MD127720H-

Violation - Low Water Cutoff is not installed or installed incorrectly or inoperable or damaged or leaking.

Violation - Object Nameplate or Stamping is unavailable or illegible or incorrect.

MD127719V-

Violation - Undefined Pressure Relieving Devices Violations

MD127718H-

Violation - Low Water Cutoff is not installed or installed incorrectly or inoperable or damaged or leaking.

If you have any questions or concerns, you may respond to this email. Thank you for your attention to this matter.

Bruce Neale <bruce@modf59.mygbiz.com>

Jul 2, 2019, 8:27 PM (12 hours ago)

to me

will up date you next week on repairs

Thank you.

Bruce Neale bruce.n@modernfoundations.com via maryland.gov

8:39 AM 7/5/17 MD 21797-9121 , The inspection for our boilers and air tanks will be inspected on July 20, 2017 by Hartford Steam Boiler Inspection & Insurance Co. A report will be sent by them after the inspection.

Modern Foundations

Inbox

x

Citation/Waiting on Inspection/ Paperwork

x

Bruce Neale <bruce@modf59.mygbiz.com>

7:41 AM (1 hour ago)

to me

Reference: Registration #'s Md127718H, 127719V, 127720H, 143775H, 143776H,

I am the property owner and manager of this facility and I scheduled the inspection earlier this year but was not present when our floor heaters and air

compressors were inspected. I am not aware of any report we received of repairs needed. If one was sent out it did not get to me. Please email any repair notice to this email address so I may address any concerns. To my knowledge all units are working as designed and the heating units are shut down from April through October so they are not in use at this time.

--

Bruce Neale - President
 Modern Foundations Inc.
 7860 Kabik Ct.
 Woodbine, Md. 21797
 410-795-8877 Office

My Shared Comments:

On 7/9/2019 I visited site and cleared violation written by insurance on MD127718H and MD127720H in may 1 month after devices turned off for season. Heating boilers for commercial and institutional use are generally in service from mid October to mid April. I returned on 11/14/2019 to test low water cut-off functions. They passed.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146371V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000213422		Morganton	2012	04/14/2021	Recurring Cert	Active	Concrete
MD158751V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000411123		Morganton	2014	08/08/2021	Recurring Cert	Active	BSMT
MD164515V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029301		AIR COM	2017	05/02/2021	Recurring Cert	Active	CONCRETE
Total Objects at this location					3						

Location: Morris Automotive Machine
Address: 3111 Westminster St Manchester, MD 21102-1883
County: Carroll
Primary Contact: Morris Automotive Machine - Phone: 410-374-6997
Billing Contact: Morris Automotive Machine - 3111 Westminster St Manchester, MD 21102-1883 - Phone: 410-374-6997
Cert Contact: Morris Automotive Machine - 3111 Westminster St Manchester, MD 21102-1883 - Phone: 410-374-6997
Owner Contact: Morris Automotive Machine - 3111 Westminster St Manchester, MD 21102-1883 - Phone: 410-374-6997
Other Contact(s): Morris Automotive Machine - 3111 Westminster St Manchester, MD 21102-1883 - Phone: 410-374-6997

Location ID: 719050
Phone: 410-374-6997
NOB/SIC:

My Company Morris #719050
Comments: MD094583V certificate issued Reynolds 3-28-18

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094583V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000937980		Buckeye	1989	02/26/2022	Recurring Cert	Active	Outside Compressor Shed

Total Objects at this location 1

Location: Mr. Bob's Unique Finds **Location ID:** 728157
Address: 1337 Liberty Rd Sykesville, MD 21784-6412 **Phone:** 410-807-8550
County: Carroll **NOB/SIC:**

Primary Contact: Mr. Bob's Unique Finds

Billing Contact: Mr. Bob's Unique Finds - 1337 Liberty Rd Sykesville, MD 21784-6412

Cert Contact: Mr. Bob's Unique Finds - 1337 Liberty Rd Sykesville, MD 21784-6412

Owner Contact: Mr. Bob's Unique Finds - 1337 Liberty Rd Sykesville, MD 21784-6412

Other Contact(s): Auto Plus (Uniselect) Auto Parts - 1337 Liberty Rd Sykesville, MD 21784-6412 - Phone: 410-795-8707

Dolores Mathis - 5403 Emerald Dr Sykesville, MD 21784-6838 - Phone: 4107814664

Elmer S. Zoob Jr. - 418 Camargo Rd Quarryville, PA 17566-9209 - Phone: 410-807-8550

Holly Donovan, Owner - 132 Peachtree Rd Ocean City, MD 21842-4561 - Phone: 410-250-0320 - Email: hamdonovan7@gmail.com

Michael Perron - 6116 Preservation Dr Chattanooga, TN 37416-3600 - Phone: 215-915-8142 - Email: michael.perron@willis.com

Mr. Bob's Unique Finds - 1337 Liberty Rd Sykesville, MD 21784-6412

My Company Contact update.

Comments: Location name and contact update.

Reynolds 2/10/2020 E & E Quality Furniture #728157

no access

Reynolds 2/20/2020 E & E Quality #728157

MD070234H certificate issued

location is now named

Mr. Bob's Unique Finds

My Shared

Comments: Mark from Auto Plus called to state they were just made aware the inspection is needed by the landlord and they are arranging to have the inspection completed.

Spoke to owner stated that inspection was already done on MD070234H. Asked me to call back on 2/11/2020 to get information on inspection.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070234H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1988	01/12/2022	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: Myers Crab House
Address: 1199 Old New Windsor Rd New Windsor, MD 21776
County: Carroll
Primary Contact: Anna Myers - Phone: 410 596 5904
Billing Contact: Anna Myers - 1199 Old New Windsor Rd New Windsor, MD 21776 - Phone: 410 596 5904
Cert Contact: Anna Myers - 1199 Old New Windsor Rd New Windsor, MD 21776 - Phone: 410 596 5904
Owner Contact: Anna Myers - 1199 Old New Windsor Rd New Windsor, MD 21776 - Phone: 410 596 5904
Other Contact(s): Anna Myers - 1199 Old New Windsor Rd New Windsor, MD 21776 - Phone: 410 596 5904

Location ID: 3520404
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149285H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ECR	2014	06/10/2022	Recurring Cert	Active	Blrm

Total Objects at this location 1

Location: New Windsor Auto Service
Address: 307 High St New Windsor, MD 21776-8919
County: Carroll
Primary Contact: Gregory A. Kreaflle, Owner
Billing Contact: Gregory A. Kreaflle - 809 Boxcar Dr Westminster, MD 21157-6763
Cert Contact: Gregory A. Kreaflle, Owner - 809 Boxcar Dr Westminster, MD 21157-6763
Owner Contact: Gregory A. Kreaflle, Owner - 809 Boxcar Dr Westminster, MD 21157-6763
Other Contact(s): Gregory A. Kreaflle, Owner - 809 Boxcar Dr Westminster, MD 21157-6763

Location ID: 719618
Phone:
NOB/SIC:

My Company

Comments: Fax from previous owner, property sold to Gregory Kreaflle 1/14/15, updating from SDAT, and reprinting OD letter. Documents attached. Mr. Kreaflle 443 386 2899 called on 10/10/17 and stated he is not running a business from this site and is only using location for his personal collection. After explaining the only way to confirm compressor is exempt (due to location being private) is to have a inspector visit the site. He stated his only availability would be after 6 p.m. This is a link to his website advertising location as a business: <http://www.nw-musclecars.com/home.html> Mr. Kreaflle called and stated he has contacted Atlantic Serv. to set up inspection . Judy is to contact me by email to let me know the confirmed date.

Original document and comments under location 719619, 7/12/16. Moved to this location, emailing previous owner of changes made.

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD056541V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000186857		Wessels	1981	08/19/2021	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: New Windsor Auto Specialist **Location ID:** 719619
Address: 103 Church St New Windsor, MD 21776-8408 **Phone:** 410-848-3377
County: Carroll **NOB/SIC:**
Primary Contact: Larry Reed, Owner - Phone: 410-875-4080/717-642-9694
Billing Contact: Larry Reed - 103 Church St New Windsor, MD 21776-8408 - Phone: 410-875-4080/717-642-9694
Cert Contact: Larry Reed, Owner - 103 Church St New Windsor, MD 21776-8408 - Phone: 410-875-4080/717-642-9694
Owner Contact: Larry Reed, Owner - 103 Church St New Windsor, MD 21776-8408 - Phone: 410-875-4080/717-642-9694
Other Contact(s): Larry Reed, Owner - 103 Church St New Windsor, MD 21776-8408 - Phone: 410-875-4080/717-642-9694
My Company Comments: BPV form faxed, with ownership change. Ownership changed 1/14/15, property sold to Larry and Sue Reed. Documents attached. SDAT still List Larry Reed as owner. The deed attached says Gregory A. Krefle and reps is who the property is sold to.

**My Shared
Comments:** BPV form returned.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135118V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000936995		Manchester	2008	07/27/2022	Recurring Cert	Active	Storage (Behind Office)
Total Objects at this location					1						

Location: New Windsor State Bank **Location ID:** 880250
Address: 213 Main St New Windsor, MD 21776-9764 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Aects Patable - Email: trefere-invoicindaccountspayable@acnb.com
Billing Contact: Aects Patable - PO BOX 3129 Gettysburg, pa 17325 - Email: trefere-invoicindaccountspayable@acnb.com
Cert Contact: Aects Patable - PO BOX 3129 Gettysburg, pa 17325 - Email: trefere-invoicindaccountspayable@acnb.com
Owner Contact: Aects Patable - PO BOX 3129 Gettysburg, pa 17325 - Email: trefere-invoicindaccountspayable@acnb.com
Other Contact(s): Aects Patable - PO BOX 3129 Gettysburg, pa 17325 - Email: trefere-invoicindaccountspayable@acnb.com

**My Company
Comments:**

New Windsor Bank #880250
MD132499H overdue
Could not inspect need a maintenance representative to be present. Set up appointment for 1/2/2018. S. Reynolds 12-26-17

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132499H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	610011-208811	Peerless	2008	04/20/2021	Recurring Cert	Active	BLRM
Total Objects at this location					1						

Location: New York J & P Pizza (Arc3) **Location ID:** 4002056
Address: 1720 Liberty Rd Sykesville, MD 21784-6540 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: New York J & P Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**My Company
Comments:**

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166255V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000267445		CHART	2015	12/09/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Paradiso Pizzeria (Arc3) **Location ID:** 4006533
Address: 7 Locust Ln Westminster, MD 21157-5004 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Paradiso Pizzeria (Arc3)

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166626V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000143345		CHART	2002	01/10/2022	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: **Paradiso Ristorante (Arc3)** **Location ID:** 4006538
Address: 20 Distillery Rd Westminster, MD 21157-5021 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Paradiso Ristorante (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166323V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000143374		CHART	2002	01/10/2022	Recurring Cert	Active	Kitchen
Total Objects at this location					1						

Location: Peter Pan Learning Center **Location ID:** 721245
Address: 1260 Driver Rd Marriottsville, MD 21104-1321 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Sue Kruhm - Phone: 410-442-1440 - Email: peterpanlc@aol.com
Billing Contact: Sue Kruhm - 1260 Driver Rd Marriottsville, MD 21104-1321 - Phone: 410-442-1440 - Email: peterpanlc@aol.com
Cert Contact: Sue Kruhm - 1260 Driver Rd Marriottsville, MD 21104-1321 - Phone: 410-442-1440 - Email: peterpanlc@aol.com
Owner Contact: Sue Kruhm - 1260 Driver Rd Marriottsville, MD 21104-1321 - Phone: 410-442-1440 - Email: peterpanlc@aol.com
Other Contact(s): Sue Kruhm - 1260 Driver Rd Marriottsville, MD 21104-1321 - Phone: 410-442-1440 - Email: peterpanlc@aol.com

My Company

Comments:

My Shared

Comments: Property insured by Erie, per Sue Chrome, 8/31/04 k2.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152557H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2015	01/07/2022	Recurring Cert	Active	BOILER ROOM
Total Objects at this location					1						

Location: Pomeroy Jewelers **Location ID:** 710842
Address: 14 W Main St Westminster, MD 21157-5438 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Pomeroy Jewelers
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Cindy Owner - 14 W Main St Westminster, MD 21157-5438 - Phone: 410-848-5565 - Email: cindy@theflowerbox.org
 Diane - 14 W Main St Westminster, MD 21157-5438 - Phone: 410-215-1685
 Flower Box - 14 W Main St Westminster, MD 21157-4816 - Phone: 4108485565
 Janice - 14 W Main St Westminster, MD 21157-5438 - Phone: 410-848-5565
 John (Deseased) Hosfeld - 14 W Main St Westminster, MD 21157-5438 - Phone: 410-848-5565
 Wendy Bought, Manager - 14 W Main St Westminster, MD 21157-5438 - Phone: 410-848-5565 - Email: wendy@theflowerbox.org

My Company

Comments: The Flower Box # 710842
 MD054527H renewed
 Location is now called Pomeroy Jewelers. Informed tenant to contact office with update information. per S. Reynolds 12-21-17

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD054527H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1983	10/13/2021	Recurring Cert	Active	Basement

Total Objects at this location 1

Location: R P Alignment **Location ID:** 722307
Address: 253 Adam Smith St Sykesville, MD 21784-9332 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: R P Alignment - Phone: 4105499414
Billing Contact: R P Alignment - 253 Adam Smith St Sykesville, MD 21784-9332 - Phone: 4105499414
Cert Contact: R P Alignment - 253 Adam Smith St Sykesville, MD 21784-9332 - Phone: 4105499414
Owner Contact: R P Alignment - 253 Adam Smith St Sykesville, MD 21784-9332 - Phone: 4105499414
Other Contact(s): R P Alignment - 253 Adam Smith St Sykesville, MD 21784-9332 - Phone: 4105499414

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111270V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001074856		Manchester	1992	05/26/2021	Recurring Cert	Active	Shop

Total Objects at this location 1

Location: Regal Theater/Westminster Mall (NuCo2) # 483035 **Location ID:** 3635714
Address: 400 N Center St Westminster, MD 21157-5140 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company Comments: Called One CIS to confirm location name
Regal Theater #483035
No access, theater closed due to Covid 19. S. Reynolds 6/16/20

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154441V	A813084	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000079234	752-023-BB37	Taylor-Wharton	2005	04/19/2020	Recurring Cert	Active	pantry

Total Objects at this location 1

Location: Richard Frounfelter
Address: 5241 Taneytown Pike Taneytown, MD 21787-2011
County: Carroll
Primary Contact: Doris or Terry Kiser, Owner - Phone: 410-751-1029
Billing Contact: Richard Frounfelter - 1528 Miller Rd Westminster, MD 21158-3046 - Phone: 410-857-5343 - Cell: 410-456-4270 - Email: refmar.wes@gmail.com
Cert Contact: Richard Frounfelter, Owner - 1528 Miller Rd Westminster, MD 21158-3046 - Phone: 410-857-5343 - Cell: 410-456-4270 - Email: refmar.wes@gmail.com
Owner Contact: Richard Frounfelter, Owner - 1528 Miller Rd Westminster, MD 21158-3046 - Phone: 410-857-5343 - Cell: 410-456-4270 - Email: refmar.wes@gmail.com
Other Contact(s): Doris or Terry Kiser, Owner - 1528 Miller Rd Westminster, MD 21158-3046 - Phone: 410-751-1029
Mrs. Bertha Wagner - 5241 Taneytown Pike Taneytown, MD 21787-2011 - Phone: 410-751-1029
Richard Frounfelter, Owner - 1528 Miller Rd Westminster, MD 21158-3046 - Phone: 410-857-5343 - Cell: 410-456-4270 - Email: refmar.wes@gmail.com
Sheila Ziomek, Office Mgr. - 5241 Taneytown Pike Taneytown, MD 21787-2011 - Phone: 410-751-1029 - Email: refmar@gmail.com

Location ID: 728216
Phone: 410-751-1029
NOB/SIC:

My Company Comments:

My Shared Comments: Insparisk inspected 7/27/14,the expiration date is now July 2016, Richard Frounfelter called. Should the expiration date be changed to 8/28/16?

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116209H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64511832	Burnham	2002	07/26/2022	Recurring Cert	Active	Business Blr. Rm

Total Objects at this location 1

Location: Rob's Tower Motors Sales & Service
Address: 529 E Baltimore St Taneytown, MD 21787-2423
County: Carroll
Primary Contact: Rob Freels - Phone: 410-756-6633

Location ID: 726325
Phone:
NOB/SIC:

Billing Contact: Tevis Oil - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410-756-6633
Cert Contact: Steve Smith - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410 984 1252 - Email: ssmith@tevisoil.com
Owner Contact: Tevis Oil - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410-756-6633
Other Contact(s): Rob Freels - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410-756-6633
 Steve Smith - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410 984 1252 - Email: ssmith@tevisoil.com
 Tevis Oil - 529 E Baltimore St Taneytown, MD 21787-2423 - Phone: 410-756-6633

My Company Comments: Steve Smith 410 984 1252 called Tevis Oil (company is owner of property) and stated the business owner is in the process of replacing the old compressor. New compressor should be delivered within the next couple of weeks.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062850V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000717167		Buckeye	1986	02/18/2022	Recurring Cert	Active	SHOP

Total Objects at this location 1

Location: Robert L Feezer Co Inc
Address: 6321 Barnett Ave Sykesville, MD 21784-6586
County: Carroll
Primary Contact: Linda Jones - Phone: 410-781-4655 - Cell: 443-286-6667 - Email: ljones@rfeezer.com
Billing Contact: Linda Jones - 6321 Barnett Ave Sykesville, MD 21784-6586 - Phone: 410-781-4655 - Cell: 443-286-6667 - Email: ljones@rfeezer.com
Cert Contact: Linda Jones - 6321 Barnett Ave Sykesville, MD 21784-6586 - Phone: 410-781-4655 - Cell: 443-286-6667 - Email: ljones@rfeezer.com
Owner Contact: Linda Jones - 6321 Barnett Ave Sykesville, MD 21784-6586 - Phone: 410-781-4655 - Cell: 443-286-6667 - Email: ljones@rfeezer.com
Other Contact(s): Farmers Loss Control - 6301 Owensmouth Ave Woodland Hills, CA 91367-2216 - Phone: 818-876-3878 - Email: usw_ho.loss.control@farmersinsurance.com
 Linda Jones - 6321 Barnett Ave Sykesville, MD 21784-6586 - Phone: 410-781-4655 - Cell: 443-286-6667 - Email: ljones@rfeezer.com
 Rusty George - 6321 Barnett Ave Sykesville, MD 21784-6586 - Phone: 410-781-4655
 Tara Stircula, Business Development Consultant - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Phone: 330-322-5347 - Cell: 330-322-5347 - Email: tara.stircula@onecis.com

Location ID: 2239283
Phone: Linda Jones 410-795-1405
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139160H		Cast Iron	H - Hot Water Heat (Water <=	CI		Crown	1999	11/12/2021	Recurring Cert	Active	blrm

Total Objects at this location 1

Location: **Royal Farms (NuCo2) # 262248** **Location ID:** 3633768
Address: 1818 Baltimore Blvd Westminster, MD 21157-7111 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Cert Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Owner Contact: NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Other Contact(s): NUCO2 Regulatory & Compliance - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
 NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com
 Tim Houk, Mid-Atlantic Regional Manager - 95 Oakwood Rd Lake Zurich, IL 60047-1566 - Cell: 678-251-8814 - Email: timothy.houk@onecis.com
 William Johnson, Account Manager - 95 Lakewood Rd Lake Zurich, IL 60047 - Phone: 571-373-0998 - Cell: 571-373-0998 - Email: william.johnson@onecis.com

My Company**Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154519V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000259776		CHART	2014	12/11/2021	External Cert	Active	outside rear cage

Total Objects at this location 1

Location: **Ruby Tuesday #3758** **Location ID:** 723511
Address: 210 Malcolm Dr Westminster, MD 21157-6110 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Michael Toth, Manager - Phone: 410 751 7056
Billing Contact: Ruby Tuesday - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com
Cert Contact: Ruby Tuesday - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com
Owner Contact: Ruby Tuesday - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com
Other Contact(s): Matthew McKeown, Manager - 210 Malcolm Dr Westminster, MD 21157-6110 - Phone: 410-751-7056 - Email: rt3758@rubytuesday.com
 Michael Burnside, Manager - 210 Malcolm Dr Westminster, MD 21157-6110 - Phone: 410-751-7056 - Email: rt3758@rubytuesday.com
 Michael Toth, Manager - 210 Malcolm Dr Westminster, MD 21157-6110 - Phone: 410 751 7056
 Ruby Tuesday - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com

My Company Michael Toth mgr will call to schedule the appt.

Comments:

Primary update.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158864V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000149485	SN-CCQN03J114	CHART	2003	10/20/2021	Recurring Cert	Active	Outside Rear Cage
MD162103H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000236784		A O Smith	2018	12/06/2020	Recurring Cert	Active	Equipment Room
Total Objects at this location					2						

Location: S O S Loans Pawn Shop
Address: 68 W Main St Westminster, MD 21157-5675
County: Carroll
Primary Contact: Gregory Veltzer - Phone: 410-840-9348
Billing Contact: Gregory Veltzer - 68 W Main St Westminster, MD 21157-5675 - Phone: 410-840-9348
Cert Contact: Gregory Veltzer - 68 W Main St Westminster, MD 21157-5675 - Phone: 410-840-9348
Owner Contact: Gregory Veltzer - 68 W Main St Westminster, MD 21157-5675 - Phone: 410-840-9348
Other Contact(s): Gregory Veltzer - 68 W Main St Westminster, MD 21157-5675 - Phone: 410-840-9348
 Thomas W Lewis II - 3811 Boteler Rd Mount Airy, MD 21771-7313 - Phone: 4107957648

Location ID: 723637
Phone:
NOB/SIC:

My Company Comments: Location 723637 will need to be rescheduled. Shop Was closed for the day. No access

My Shared Comments: per owner MAC inspection came on 6-26-13 with violation. I have not received report.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147584H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	590201174	Weil-McLain	2012	05/17/2022	Recurring Cert	Active	BASEMENT Underground
Total Objects at this location					1						

Location: Saint Mark Evangelical Lutheran Church
Address: 1373 N Main St Hampstead, MD 21074-2148
County: Carroll

Location ID: 723973
Phone:
NOB/SIC:

Primary Contact: Saint Mark Evangelical Lutheran Church - Phone: 4103742819
Billing Contact: Herb West - 1373 N Main St Hampstead, MD 21074-2148 - Phone: 410-374-2273
Cert Contact: Herb West - 1373 N Main St Hampstead, MD 21074-2148 - Phone: 410-374-2273
Owner Contact: Herb West - 1373 N Main St Hampstead, MD 21074-2148 - Phone: 410-374-2273
Other Contact(s): Herb West - 1373 N Main St Hampstead, MD 21074-2148 - Phone: 410-374-2273
Saint Mark Evangelical Lutheran Church - 1373 N Main St Hampstead, MD 21074-2148 - Phone: 4103742819

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144446H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham Commercial	2008	03/27/2021	Recurring Cert	Active	Boiler Room
Total Objects at this location					1						

Location: Sam's Plaza Body Shop
Address: 1610 W Old Liberty Rd Sykesville, MD 21784-9343
County: Carroll

Location ID: 729317
Phone: 410-875-2700
NOB/SIC:

Primary Contact: Sam Jr. - Phone: 410 875 2700
Billing Contact: Sam Farace - 1610 W Old Liberty Rd Sykesville, MD 21784-9343 - Phone: 410-875-2700 - Email: samsplazabody@aol.com
Cert Contact: Sam Farace - 1610 W Old Liberty Rd Sykesville, MD 21784-9343 - Phone: 410-875-2700 - Email: samsplazabody@aol.com
Owner Contact: Sam Farace - 1610 W Old Liberty Rd Sykesville, MD 21784-9343 - Phone: 410-875-2700 - Email: samsplazabody@aol.com
Other Contact(s): Sam Farace - 1610 W Old Liberty Rd Sykesville, MD 21784-9343 - Phone: 410-875-2700 - Email: samsplazabody@aol.com
Sam Jr. - 1610 W Old Liberty Rd Sykesville, MD 21784-9335 - Phone: 410 875 2700

**My Company
Comments:**
**My Shared
Comments:**

Sam (410-875-2700) from Sam's Plaza Body Shop said he called RMF 3x and they never got back. He then called Atlantic Services, who said they will complete it by 6/1/15.
Sam said he had to call Atlantic again who said their inspector was running behind, but that he will be there by 6/2.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	---------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

MD125651V Horizontal V - Storage 000087709 Stoystown 1986 06/02/2021 Recurring Cert Active comp. shed.
 Unfired
 Pressure
 Vessel
 w/comment

Total Objects at this location 1

Location: **Sears Auto Center SAC 6973** **Location ID:** 724529
Address: 400 N Center St Westminster, MD 21157-5140 **Phone:** 410-386-6595
County: Carroll **NOB/SIC:**
Primary Contact: Kevin Jensen, Store Manager - Phone: 410-386-6500 - Email: kevin.jensen@searshc.com
Billing Contact: Kevin Jensen - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6500 - Email: kevin.jensen@searshc.com
Cert Contact: Kevin Jensen, Store Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6500 - Email: kevin.jensen@searshc.com
Owner Contact: Kevin Jensen, Store Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6500 - Email: kevin.jensen@searshc.com
Other Contact(s): Kevin Jensen, Store Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6500 - Email: kevin.jensen@searshc.com
 Kyle Pearre, Ops Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6500
 Samatha Scaramuzza, LCS - 525 W Monroe St Ste 700 Chicago, IL 60661-3641 - Cell: 224-279-9532 - Email: sscaramuzza@chubb.com
 Sears Auto Center - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-386-6595
 Shopping Town Mall - 3649 Erie Blvd E De Witt, NY 13214-2738 - Phone: 315446-9160 - Email: s@chubb.com
 Thomas Collins, Underwriter - 1 American Sq PO Box 44903 Indianapolis, IN 46282-0020 - Email: tfcollins@chubb.com

**My Company
 Comments:**
**My Shared
 Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000585184		Steel Fab	2009	10/24/2020	External Cert	Active	Tire Storage
MD138243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000585192		Steel Fab	2009	10/24/2020	External Cert	Active	Tire Storage

Total Objects at this location 2

Location: **Serra Brothers Italian Deli (Arc3)** **Location ID:** 4002058
Address: 2021 Liberty Rd Sykesville, MD 21784-6695 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Serra Brothers Italian Deli (Arc3)

Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Cert Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Owner Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Other Contact(s): Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166256V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003749		Taylor-Wharton	1988	12/09/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Shipley Transport **Location ID:** 724860
Address: 255 Adam Smith St Sykesville, MD 21784-9332 **Phone:** 410-795-4072
County: Carroll **NOB/SIC:**
Primary Contact: Shipley Transport - Phone: 410-795-4072
Billing Contact: Raymond Shipley - 255 Adam Smith St Sykesville, MD 21784-9332 - Phone: 410-795-4072 - Email: ray@shipleytransport.com
Cert Contact: Raymond Shipley - 255 Adam Smith St Sykesville, MD 21784-9332 - Phone: 410-795-4072 - Email: ray@shipleytransport.com
Owner Contact: Raymond Shipley - 255 Adam Smith St Sykesville, MD 21784-9332 - Phone: 410-795-4072 - Email: ray@shipleytransport.com
Other Contact(s): Raymond Shipley - 255 Adam Smith St Sykesville, MD 21784-9332 - Phone: 410-795-4072 - Email: ray@shipleytransport.com
 Shipley Transport - 255 Adam Smith St Sykesville, MD 21784-9332 - Phone: 410-795-4072

My Company Comments:
My Shared Comments: MAC Inspections 1/12/15.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111271V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000921664		Manchester	1999	01/09/2021	Recurring Cert	Active	Shop
Total Objects at this location					1						

Location: Springdale Preparatory School
Address: 1000 Green Valley Rd New Windsor, MD 21776-9712
County: Carroll
Primary Contact: Springdale Preparatory School - Phone: 443-671-0072
Billing Contact: Springdale Preparatory School - 1000 Green Valley Rd New Windsor, MD 21776-9712 - Phone: 443-671-0072
Cert Contact: Springdale Preparatory School - 1000 Green Valley Rd New Windsor, MD 21776-9712 - Phone: 443-671-0072
Owner Contact: Springdale Preparatory School - 1000 Green Valley Rd New Windsor, MD 21776-9712 - Phone: 443-671-0072
Other Contact(s): Maintenance Dept. - 1000 Green Valley Rd New Windsor, MD 21776-9712 - Phone: 443-671-0072
 Springdale Preparatory School - 1000 Green Valley Rd New Windsor, MD 21776-9712 - Phone: 443-671-0072

Location ID: 719622
Phone: 443-671-0072
NOB/SIC:

My Company: Carroll County #719622
Comments: This building closed after the school year 2016. This was New Windsor Middle School. There is no contact number. So if we could please contact someone and schedule or forward me the contact number I will set it up. Reynolds 3/14/2018
 Updated location name building owned by Carrol Co, Springdale Prep tenant.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091073H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N94-808	H B Smith	1994	05/10/2022	Recurring Cert	Active	Boiler Room
MD091074H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N94-806	H B Smith	1994	05/10/2022	Recurring Cert	Active	Boiler Room
MD091075H	Boiler #3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N94-809	H B Smith	1995	05/10/2022	Recurring Cert	Active	Boiler Room
MD091076H	Boiler #4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N94-807	H B Smith	1995	05/10/2022	Recurring Cert	Active	Boiler Room
MD167050V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Feedwater Heater	000000797		Adamson	1994	07/20/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					5						

Location: Staleys Body Shop
Address: 215 Greenwood Ave Westminster, MD 21157-5504
County: Carroll
Primary Contact: Ken Staley - Phone: 410-876-6770

Location ID: 725615
Phone: 410-876-6770
NOB/SIC:

Billing Contact: Ken Staley - 215 Greenwood Ave Westminster, MD 21157-5504 - Phone: 410-876-6770
Cert Contact: Ken Staley - 215 Greenwood Ave Westminster, MD 21157-5504 - Phone: 410-876-6770
Owner Contact: Ken Staley - 215 Greenwood Ave Westminster, MD 21157-5504 - Phone: 410-876-6770
Other Contact(s): Ken Staley - 215 Greenwood Ave Westminster, MD 21157-5504 - Phone: 410-876-6770

My Company Comments: Per Scott Reynolds 8/8/16. Staleys #725615 devices to be disconnected and mad inactive 10 days to correct 8/4

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149284V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000725354		Steel Fab	2013	05/19/2022	Recurring Cert	Active	shop
Total Objects at this location					1						

Location: Stratosphere Social
Address: 1332 Londontown Blvd Sykesville, MD 21784-6587
County: Carroll
Primary Contact: Stratosphere Social
Billing Contact: Stratosphere Social - 1332 Londontown Blvd Sykesville, MD 21784-6587 - Phone: 443-537-2626
Cert Contact: Stratosphere Social - 1332 Londontown Blvd Sykesville, MD 21784-6587 - Phone: 443-537-2626
Owner Contact: Stratosphere Social - 1332 Londontown Blvd Sykesville, MD 21784-6587 - Phone: 443-537-2626
Other Contact(s): Stratosphere Social - 1332 Londontown Blvd Sykesville, MD 21784-6587 - Phone: 443-537-2626

Location ID: 4009539
Phone: 443-537-2626
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166578V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000081567	CCUA98D199	CHART	1998	02/20/2022	Recurring Cert	Active	Beverage Carbonation
Total Objects at this location					1						

Location: Subway (Roberts)
Address: 5959 Exchange Dr Sykesville, MD 21784-9252
County: Carroll
Primary Contact: Subway (Roberts)
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 4002539
Phone:
NOB/SIC:

My Company Comments: Corrections made - 3 pressure vessels ----- Franovich, Dave -- 3:22 PM (1 hour ago) to Boilers@DLLR.State.MD.US, Alfredo-- Good Afternoon,-- Corrections have been made at the following three locations: --Fratelli's-MD166306V --Five Guys-MD166307V --Subway-MD166325V --Please note that we rcv'd duplicate notices with different dates for the pressure vessels at Fratelli's-MD166306V and Five Guys-MD166307V. All attached locations/violations have been corrected.-- Thank you.-- Dave Franovich Operations Support Manager Roberts Oxygen Company, Inc.-- dfranovich@robertsoxygen.com-- 240-493-8405 – Direct Dial Office-- 301-252-0742 – Mobile-- 301-948-8100 – Customer Service--
 New object inspected - 02/20/20- Certificate Blocking - Open - Reynolds, Scott - Pressure Relief Device is not discharged to a safe area.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166325V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000005791		Taylor	1989	12/09/2021	Recurring Cert	Active	Outside
Total Objects at this location					1						

Location: Support Services, LLC
Address: 4219 Hanover Pike Manchester, MD 21102-1414
County: Carroll
Primary Contact: Judy Barger, Executive Assistant - Phone: 410-239-8331
Billing Contact: Judy Barger - 4175 Hanover Pike Manchester, MD 21102-1454 - Phone: 410-239-8331
Cert Contact: Judy Barger, Executive Assistant - 4175 Hanover Pike Manchester, MD 21102-1454 - Phone: 410-239-8331
Owner Contact: Judy Barger - 4175 Hanover Pike Manchester, MD 21102-1454 - Phone: 410-239-8331
Other Contact(s): Judy Barger - 4175 Hanover Pike Manchester, MD 21102-1454 - Phone: 410-239-8331
 Judy Barger, Executive Assistant - 4175 Hanover Pike Manchester, MD 21102-1454 - Phone: 410-239-8331
 Masonry Contractors - 4219 Hanover Pike Manchester, MD 21102-1434

Location ID: 785964
Phone: 410-239-8331
NOB/SIC:

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116688H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		National	1980	05/14/2021	Recurring Cert	Active	BASEMENT

Total Objects at this location 1

Location: Sykesville Freedom Volunteer Fire Co **Location ID:** 726217
Address: 6680 Sykesville Rd Sykesville, MD 21784-7918 **Phone:** 410-795-9311
County: Carroll **NOB/SIC:**
Primary Contact: Sykesville Freedom Volunteer Fire Co - Phone: 410-795-9311
Billing Contact: Sykesville Freedom Volunteer Fire Co - 6680 Sykesville Rd PO Box 275 Sykesville, MD 21784-7918 - Phone: 410-795-9311
Cert Contact: Sykesville Freedom Volunteer Fire Co - 6680 Sykesville Rd PO Box 275 Sykesville, MD 21784-7918 - Phone: 410-795-9311
Owner Contact: Sykesville Freedom Volunteer Fire Co - 6680 Sykesville Rd PO Box 275 Sykesville, MD 21784-7918 - Phone: 410-795-9311
Other Contact(s): Sykesville Freedom Volunteer Fire Co - 6680 Sykesville Rd - PO Box 275 Sykesville, MD 21784-7918 - Phone: 410-795-9311

My Company Comments:

My Shared Comments: Received an updated call from Kenny, 240.357.3383 stating the building is still under construction. The units are not installed or running yet. Spoke to Kenny, building burned down. They are in the process of rebuilding and should be finished by mid to late December 2012.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089632V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009916		Manchester	1986	03/27/2021	Recurring Cert	Active	Garage

Total Objects at this location 1

Location: Taco Bell **Location ID:** 3635111
Address: 1429 Liberty Rd Eldersburg, MD 21784-6441 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Barbara Seward, Administrative Assistant - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Cert Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Owner Contact: Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880
Other Contact(s): Barbara Seward, Administrative Assistant - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

My Company NUCO2-corporate owned tank

Comments:

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155920V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015779	SN1FA921214	Cryogenic	1992	01/02/2021	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Taco Bell (NuCo2) #2356787 **Location ID:** 3972617
Address: 625 Baltimore Blvd Westminster, MD 21157-6178 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Taco Bell (NuCo2) #2356787
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): NuCO2-Regulatory (MD BPV) - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

**My Company
Comments:**

**My Shared
Comments:** customer owned equipment, per NuCO 8/2019

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165411V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000325752	31921129	CHART	2019	09/23/2021	Recurring Cert	Active	Beverage Carbonation

Total Objects at this location 1

Location: Taneytown Tub Laundromat **Location ID:** 726327
Address: 520 E Baltimore St Ste 120 Taneytown, MD 21787-2429 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Melanie - Phone: 240-348-7547
Billing Contact: Taneytown Tub Laundromat - 6510 Old Branch Ave Attn: Melanie Temple Hills, MD 20748-2646 - Phone: 240-348-7547
Cert Contact: Taneytown Tub Laundromat - 6510 Old Branch Ave Attn: Melanie Temple Hills, MD 20748-2646 - Phone: 240-348-7547
Owner Contact: Taneytown Tub Laundromat - 6510 Old Branch Ave Attn: Melanie Temple Hills, MD 20748-2646 - Phone: 240-348-7547
Other Contact(s): Melanie - 520 E Baltimore St Ste 120 Taneytown, MD 21787-2429 - Phone: 240-348-7547

MRS McCarley - 520 E Baltimore St Ste 120 Taneytown, MD 21787-2429 - Phone: 410-756-6635
 Taneytown Tub Laundromat - 6510 Old Branch Ave Attn: Melanie Temple Hills, MD 20748-2646 - Phone: 240-348-7547

My Company Comments:

Contact and location name updated per John Marino.
 Keith Reed is not owner of this location since 6/2017. New owner 520 Holding Co. LLC
 Please close the citation. and resubmit to the new owner contact.
 Recommend to reduce the penalty to \$250.00
 SDAT lists Myron F. Bradley (Trustee), Ann M. Beaudin (Trustee) as the owner of the location. The address is the location in Suite 200.

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146375H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	00025368		A O Smith	2009	03/01/2021	Recurring Cert	Active	blrm
Total Objects at this location					1						

Location: The Boston Inn **Location ID:** 704886
Address: 533 Baltimore Blvd Westminster, MD 21157-6101 **Phone:** 410-848-9095
County: Carroll **NOB/SIC:**
Primary Contact: Bhavesh Patel, Owner - Phone: 443-239-9958 - Email: b-patel05@yahoo.com
Billing Contact: Bhavesh Patel - 533 Baltimore Blvd Westminster, MD 21157-6101 - Phone: 443-239-9958 - Email: b-patel05@yahoo.com
Cert Contact: Bhavesh Patel, Owner - 533 Baltimore Blvd Westminster, MD 21157-6101 - Phone: 443-239-9958 - Email: b-patel05@yahoo.com
Owner Contact: Bhavesh Patel, Owner - 533 Baltimore Blvd Westminster, MD 21157-6101 - Phone: 443-239-9958 - Email: b-patel05@yahoo.com
Other Contact(s): Bhavesh Patel, Owner - 533 Baltimore Blvd Westminster, MD 21157-6101 - Phone: 443-239-9958 - Email: b-patel05@yahoo.com
 Boston Inn - 533 Baltimore Blvd Westminster, MD 21157-6101 - Phone: 4108489095

My Company Comments:

spoke to B. Patel- he accepts the penalty reduction.
 The BOSTON inn hotel
 Inbox
 x

Bhavesh Patel <b_patel05@yahoo.com>
 10:59 AM (13 minutes ago)
 to me

Hi Elizabeth,

I have been working with Scott Reynolds regarding boiler recertification and he has informed me that there was a citation issues on my April 4th which I never received. I am writing to request you to send me a copy of that citation so that I can pay the penalty and also advise me the next steps to obtain renewal certificate for the BOSTON inn for MD registration # MD146389H.

Kindly, please call me at 443-239-9958

Best
Bhavesh Patel

**My Shared
Comments:**

Mr. Boston called in reference to a re-registration packet. Wasn't sure who to call. I advised him to start with his insurer or check website in the letter. Received an email from Barry Boston stating he installed a new boiler, the unit is operational. He tried to find the paperwork on the web. I replied and attached NOI, CSD1 and that Cincinnati performed the last inspection. Cincinnati would inactivate to MD088012H and report on the new object. Mr. Boston has been in contact with Steve Tynes of Cincinnati.
RETURN MAIL

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146389H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000226011		Burnham	2012	01/28/2021	Recurring Cert	Active	Blr rm
Total Objects at this location					1						

Location: Thomas Bennett & Hunter Inc.
Address: 600 Ridge Rd Westminster, MD 21157-6808
County: Carroll
Primary Contact: Thomas Bennett & Hunter Inc. - Phone: 410-848-9030
Billing Contact: Thomas Bennett & Hunter Inc. - 70 John St Westminster, MD 21157-4835 - Phone: 410-848-9030
Cert Contact: Thomas Bennett & Hunter Inc. - 70 John St Westminster, MD 21157-4835 - Phone: 410-848-9030
Owner Contact: Thomas Bennett & Hunter Inc. - 70 John St Westminster, MD 21157-4835 - Phone: 410-848-9030
Other Contact(s): Thomas Bennett & Hunter Inc. - 70 John St Westminster, MD 21157-4835 - Phone: 410-848-9030

Location ID: 726507
Phone:
NOB/SIC:

**My Company
Comments:**

**My Shared
Comments:** standardized 9/29/06/ds

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165437V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001905160		Morganton	2017	10/14/2021	Recurring Cert	Active	TOWER
Total Objects at this location					1						

Location: Union Bridge Church Of The Brethren
Address: 124 S Main St Union Bridge, MD 21791-9140
County: Carroll
Primary Contact: Granville H. Hibberd - Phone: 410-775-2717 - Cell: 410-596-5296 - Email: unbrb@verizon.net

Location ID: 727399
Phone: 410-775-2717
NOB/SIC:

Billing Contact: Union Bridge Church Of The Brethren - PO Box 518 Union Bridge, MD 21791-0518 - Phone: 410-775-2717
Cert Contact: Union Bridge Church Of The Brethren - PO Box 518 Union Bridge, MD 21791-0518 - Phone: 410-775-2717
Owner Contact: Union Bridge Church Of The Brethren - PO Box 518 Union Bridge, MD 21791-0518 - Phone: 410-775-2717
Other Contact(s): Granville H. Hibberd - 3314 Mill Dale Ln New Windsor, MD 21776-9736 - Phone: 410-775-2717 - Cell: 410-596-5296 - Email: unbrb@verizon.net
 Union Bridge Church Of The Brethren - 124 Main St Union Bridge, MD 21791 - Phone: 4107752717
 Union Bridge Church Of The Brethren - PO Box 518 Union Bridge, MD 21791-0518 - Phone: 410-775-2717

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152573H	#1 (left)	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65487845	Burnham	2014	11/17/2021	Recurring Cert	Active	Boiler room
MD152574H	#2(right)	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65439159	Burnham	2014	11/17/2021	Recurring Cert	Active	Boiler room
Total Objects at this location					2						

Location: United Used Cars Inc.
Address: 232 E Green St Westminster, MD 21157-5244
County: Carroll
Primary Contact: Eric Hilson, Manager - Phone: 410-876-2818
Billing Contact:
Cert Contact:
Owner Contact:
Other Contact(s): Eric Hilson, Manager - 232 E Green St Westminster, MD 21157-5244 - Phone: 410-876-2818

Location ID: 727527
Phone:
NOB/SIC:

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151326V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000429166		Morganton	2014	10/06/2020	Recurring Cert	Active	SHOP
Total Objects at this location					1						

Location: Vince's Crab House **Location ID:** 705932
Address: 2912 Hanover Pike Manchester, MD 21102-1921 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Vince's Crab House
Billing Contact: Vince's Crab House - 2912 Hanover Pike Manchester, MD 21102-1921
Cert Contact: Vince's Crab House - 2912 Hanover Pike Manchester, MD 21102-1921
Owner Contact: Vince's Crab House - 2912 Hanover Pike Manchester, MD 21102-1921
Other Contact(s): Joe Eccleston, Owner - 2912 Hanover Pike Manchester, MD 21102-1921 - Phone: 410-239-6676 - Cell: 443-790-0463 - Email: crabbertwo@msn.com
 Vince's Crab House - 2912 Hanover Pike Manchester, MD 21102-1921

My Company Comments: Captain Bob's #705932
 MD003905 violations
 MD003904 violations
 Location is now Vince's Crab House. Told owner's representative to contact office with new information. S. Reynolds 3/5/20
 Vince's Crab House #705932 No access, left note requesting to schedule an appointment. S. Reynolds 6/16/20

My Shared Comments: This location is now named Vince's Crabhouse
 Visited on 6/15/2020. Left message to contact me and arrange appointment.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD003904		Water Tube Coiled (NOT Flueless Hi Efficiency)	S - Power-Cooking (Steam > 15 psig)	000033344		Bryan	1993	02/18/2021	Recurring Cert	Active	Boiler Room
MD003905		Water Tube Coiled (NOT Flueless Hi Efficiency)	S - Power-Cooking (Steam > 15 psig)	000030443	70954	Bryan	1991	02/18/2021	Recurring Cert	Active	Boiler Room

Total Objects at this location 2

Location: Vintage Restorations **Location ID:** 2864766
Address: 52 N Main St Union Bridge, MD 21791-9143 **Phone:** 410-775-0500
County: Carroll **NOB/SIC:**
Primary Contact: John Tokar, President - Phone: 410-775-0500 - Cell: 240-405-0159 - Email: jtokar51@verizon.net
Billing Contact: John Tokar - 52 N Main St Union Bridge, MD 21791-9143 - Phone: 410-775-0500 - Cell: 240-405-0159 - Email: jtokar51@verizon.net
Cert Contact: John Tokar, President - 52 N Main St Union Bridge, MD 21791-9143 - Phone: 410-775-0500 - Cell: 240-405-0159 - Email: jtokar51@verizon.net
Owner Contact: John Tokar, President - 52 N Main St Union Bridge, MD 21791-9143 - Phone: 410-775-0500 - Cell: 240-405-0159 - Email: jtokar51@verizon.net
Other Contact(s): John Tokar, President - 52 N Main St Union Bridge, MD 21791-9143 - Phone: 410-775-0500 - Cell: 240-405-0159 - Email: jtokar51@verizon.net

My Company Comments:

My Shared**Comments:** Insparisk 8/20/14 per BPV form.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134096V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000760827		Buckeye	1987	08/09/2022	Recurring Cert	Active	Shop
MD161883H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-818- 000056- 5178456	Bosch Thermotechnik GmbH	2018	08/09/2022	Recurring Cert	Active	Boiler Room
Total Objects at this location					2						

Location: Wal-Mart Store 1867**Address:** 280 Woodward Rd Westminster, MD 21157-4677**County:** Carroll**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com**Billing Contact:** APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com**Cert Contact:** APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com**Owner Contact:** APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com**Other Contact(s):** APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com**Location ID:** 2982692**Phone:****NOB/SIC:****My Company****Comments:****My Shared****Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151164V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040410		Westermeyer Ind	2015	07/16/2021	Recurring Cert	Active	Roof
MD151165V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040411		Westermeyer Ind	2015	07/16/2021	Recurring Cert	Active	Roof
Total Objects at this location					2						

Location: Wal-Mart Store 2436
Address: 6400 Ridge Rd Ste 1 Sykesville, MD 21784-6270
County: Carroll

Location ID: 3645407
Phone:
NOB/SIC:

Primary Contact: Walmart #2436
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
 Walmart #2436 - 6499 W Hemlock Dr Sykesville, MD 21784

My Company Comments:
My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151340V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00498641	560656	Morganton	2015	07/24/2021	Recurring Cert	Active	Shop/equipment room
MD151341V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040046	U40046	Westermeyer Ind	2015	09/18/2021	Recurring Cert	Active	Roof
MD151342V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040047	U40047	Westermeyer Ind	2015	09/18/2021	Recurring Cert	Active	Roof

Total Objects at this location 3

Location: Wal-Mart Store 2850
Address: 2320 N Hanover Pk Hampstead, MD 21074-1151
County: Carroll

Location ID: 728223
Phone:
NOB/SIC:

Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Cert Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Owner Contact: APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Other Contact(s): APTIM (MD) - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
 Bob Noel - 8104 Edgewater Ave Baltimore, MD 21237-3238 - Email: bob@millerrefrigeration.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142314V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000657648		Steel Fab	2011	03/03/2022	Recurring Cert	Active	Tire Shop
MD142315V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012899		Westermeyer	2011	03/03/2022	Recurring Cert	Active	Roof
MD142316V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012901		Westermeyer	2011	03/03/2022	Recurring Cert	Active	Roof
MD142317V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013119		Westermeyer	2011	03/03/2022	Recurring Cert	Active	Roof
Total Objects at this location					4						

Location: Waste Management Inc/RAA MRF - Carroll Co **Location ID:** 2673210
Address: 1400 Baltimore Blvd Westminster, MD 21157-7149 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Robert McCrann - Phone: 443-755-9416 - Cell: 732-433-9395
Billing Contact: Robert McCrann - 1400 Baltimore Blvd Westminster, MD 21157-7149 - Phone: 443-755-9416 - Cell: 732-433-9395
Cert Contact: K. O'Connor - 7175 Kit Kat Rd Elkridge, MD 21075-6419 - Phone: 443-620-9905 - Email: koconnor@wm.com
Owner Contact: Robert McCrann - 1400 Baltimore Blvd Westminster, MD 21157-7149 - Phone: 443-755-9416 - Cell: 732-433-9395
Other Contact(s): Jim Davis, East Region Manager - 3401 Grays Ferry Ave Philadelphia, PA 19146-2701 - Phone: 215-269-2182 - Cell: 317-409-5128 - Email: jdavis3@wm.com
K. O'Connor - 7175 Kit Kat Rd Elkridge, MD 21075-6419 - Phone: 443-620-9905 - Email: koconnor@wm.com
Robert McCrann - 1400 Baltimore Blvd Westminster, MD 21157-7149 - Phone: 443-755-9416 - Cell: 732-433-9395

My Company Location 2673210 needs rescheduled because of no access
Comments: Waste Management #2673210, MD143809V certificate issued , Reynolds 2/21/2018

My Shared
Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143809V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000989420		Melben	2001	11/04/2021	Recurring Cert	Active	Bailer

Total Objects at this location 1

Location: Water Depot Inc. **Location ID:** 727874
Address: 1130 Business Pkwy S Westminster, MD 21157-3065 **Phone:** 410-848-7700
County: Carroll **NOB/SIC:**
Primary Contact: Eric Harris, Facility Manager - Phone: 410-857-9670 - Cell: 443-250-8507 - Email: eharris@subtech98.com
Billing Contact: Eric Harris - 1130 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-9670 - Cell: 443-250-8507 - Email: eharris@subtech98.com
Cert Contact: Eric Harris, Facility Manager - 1130 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-9670 - Cell: 443-250-8507 - Email: eharris@subtech98.com
Owner Contact: Emerson Bair, Building owner - PO Box 61 Westminster, MD 21158-0061 - Phone: 410-848-7700
Other Contact(s): Emerson Bair, Building owner - PO Box 61 Westminster, MD 21158-0061 - Phone: 410-848-7700
Eric Harris, Facility Manager - 1130 Business Pkwy S Westminster, MD 21157-3065 - Phone: 410-857-9670 - Cell: 443-250-8507 - Email: eharris@subtech98.com
Habib Bahari - 1301 Avondale Rd New Windsor, MD 21776-8901 - Phone: 4108769966
Renee Henderson, Risk Control Operations Manager - 184 Liberty Corner Rd Ste 402 Warren, NJ 07059-6869 - Phone: 908-991-4532 - Cell: 862-266-4778 - Email: renee.henderson@cna.com

My Company Comments:

My Shared Comments: Customer emailed our office (Hotmail) and said inspection is being scheduled.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138197		Horizontal Fire Tube	S - Power-Sterilizing (Steam > 15 psig)	000006215		Titusville Iron Works	1953	11/29/2021	Recurring Cert	Active	Loading Area
MD139778V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000002916		Kemco	1994	11/29/2020	Recurring Cert	Active	Loading Area
MD139779V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000005377		Mannig Lewis	1981	11/29/2020	Recurring Cert	Active	Loading Area
MD144760V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000055983		Cylsa	2003	11/29/2020	Recurring Cert	Active	Warehouse

Total Objects at this location 4

Location: Wawa - 590 (Roberts)
Address: 805 Leidy Rd Westminster, MD 21157-7004
County: Carroll

Location ID: 3898860
Phone:
NOB/SIC:

Primary Contact: Wawa - 590 (Roberts)

Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167623V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000321551		CHART	2019	08/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: WaWa - 8529 (Roberts)
Address: 1310 Liberty Rd Sykesville, MD 21784-5300
County: Carroll

Location ID: 4002540
Phone:
NOB/SIC:

Primary Contact: WaWa - 8529 (Roberts)

Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFrnovich@RobertsOxygen.com

My Company

Comments:

My Shared

Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166253V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000212695		CHART	2005	12/09/2021	Recurring Cert	Active	Outside Closet

Location: Wendy's (Roberts) **Location ID:** 4002971
Address: 4224 N Woods Trl Hampstead, MD 21074-3118 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Cert Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Owner Contact: Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Other Contact(s): Roberts Oxygen Company (MD) - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

My Company Comments:

My Shared Comments:

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000012600		Taylor	1992	01/10/2022	Recurring Cert	Active	Outside

Total Objects at this location 1

Location: Westminster Baptist Church **Location ID:** 728834
Address: 354 Crest Ln Westminster, MD 21157-5808 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: John Copoulos, Church Administrator - Phone: 410-848-6330
Billing Contact: John Copoulos - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330
Cert Contact: John Copoulos, Church Administrator - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330
Owner Contact: Westminster Baptist Church - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330
Other Contact(s): John Copoulos, Church Administrator - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330
 Rev. Larry Steen, Pastor - 354 Crest Ln Westminster, MD 21157 - Phone: 410-848-6330
 Todd Butler, Associate Pastor - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330
 Westminster Baptist Church - 354 Crest Ln Westminster, MD 21157-5808 - Phone: 410-848-6330

My Company Comments: Contact update.

My Shared Comments: Insparisk scheduled

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153156H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2012	10/29/2021	Recurring Cert	Active	OUTSIDE BOILER ROOM
Total Objects at this location					1						

Location: Westminster Mall **Location ID:** 3553339
Address: 400 N Center St Westminster, MD 21157-5140 **Phone:** 410-857-0300
County: Carroll **NOB/SIC:**
Primary Contact: Robyn Clark, General Manager - Phone: 410-857-8870 - Email: robyn.clark@am.jll.com
Billing Contact: Robyn Clark - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-857-8870 - Email: robyn.clark@am.jll.com
Cert Contact: Robyn Clark, General Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-857-8870 - Email: robyn.clark@am.jll.com
Owner Contact: Robyn Clark, General Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-857-8870 - Email: robyn.clark@am.jll.com
Other Contact(s): Paul Doyle, Senior Equipment Breakdown Risk Engineer - 436 Walnut Street Philadelphia, PA 19106-3703 - Phone: 215-845-6108 - Cell: 215-327-0111 - Email: pdoyle@chubb.com
Robyn Clark, General Manager - 400 N Center St Westminster, MD 21157-5140 - Phone: 410-857-8870 - Email: robyn.clark@am.jll.com

My Company Comments: Please contact Insparisk to verify the violation has been corrected.

Citation Department
BPV Safety Inspection Unit
Maryland DLLR, DLI
Recommend reduction in penalty
Robyn Clark
Thu, Dec 6, 9:47 AM (22 hours ago)
to me

The corrections have been made to this citation. A re-inspection can take place at any time. Thank you for working with us on this.

Robyn J. Clark, CSM
General Manager
(410) 876-8870 ext. 11
(410) 857-4043 fax
TownMall of Westminster
400 N. Center St.

Westminster, Md 21157

rclark@woodmont.com

www.townmallofwestminster.com
Robyn Clark <rclark@woodmont.com>
Wed, Nov 21, 8:51 AM
to CITATIONS.BPV@MARYLAND.GOV

This violation will be resolved next week. We were waiting for parts needed to make the correction. I will follow-up with another e-mail indicating the correction has been made so a re-inspection can be scheduled. If you have any further questions, please contact me.

Thanks!

image001

ROBYN J. CLARK, CSM

General Manager

(410) 876-8870 ext. 11

(410) 857-4043 Fax

TownMall of Westminster

400 N. Center St. Westminster, MD 21157

RClark@Woodmont.com

www.townmallofwestminster.com

**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD076598H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1985	09/12/2022	External Cert	Active	Sears Stock Room
Total Objects at this location					1						

Location: Widetrack Automotive
Address: 177 Rockland Rd Westminster, MD 21158-4013
County: Carroll
Primary Contact: Robert Bower, Owner - Phone: 410-857-3387
Billing Contact: Robert Bower - 1071 C Balt. Blvd. Westminster, MD 21157 - Phone: 410-857-3387
Cert Contact: Robert Bower, Owner - 1071 C Balt. Blvd. Westminster, MD 21157 - Phone: 410-857-3387
Owner Contact: Robert Bower, Owner - 1071 C Balt. Blvd. Westminster, MD 21157 - Phone: 410-857-3387
Other Contact(s): Robert Bower, Owner - 1071 C Balt. Blvd. Westminster, MD 21157 - Phone: 410-857-3387

Location ID: 2880249
Phone:
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Custom Classic Collision Center LLC is no longer at this location. I will advise office to change name and mailing address to Widetrack Automotive, 1777 Rockland Rd. Westminster Md 21158.

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134108V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000327138		Manchester	2004	12/11/2020	Recurring Cert	Active	Comp. Shed/Outside

Total Objects at this location 1

Location: Wilton Corporation
Address: 2925 Industrial Park Dr # 248 Finksburg, MD 21048-2311
County: Carroll
Primary Contact: Wilton Corporation - Phone: 410-833-8500
Billing Contact: Wilton Corporation - 2925 Industrial Park Dr # 248 Finksburg, MD 21048-2311 - Phone: 410-833-8500
Cert Contact: Wilton Corporation - 2925 Industrial Park Dr # 248 Finksburg, MD 21048-2311 - Phone: 410-833-8500
Owner Contact: Wilton Corporation - 2925 Industrial Park Dr # 248 Finksburg, MD 21048-2311 - Phone: 410-833-8500
Other Contact(s): Wilton Corporation - 2925 Industrial Park Dr # 248 Finksburg, MD 21048-2311 - Phone: 410-833-8500

Location ID: 729257
Phone: 410-833-8500
NOB/SIC:

My Company

Comments:

My Shared

Comments:

Contact & Site name updated per 4/27/06 fax from Tammy Roach; RHD 4/27/06

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048756V		Horizontal Unfired Pressure	V - Storage (NOT Cryogenic)	000046888		Westinghouse	1946	05/24/2022	Recurring Cert	Active	SHOP

MD048757V	Vessel w/comment	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000002601	Stoystown	1969	05/24/2022	Recurring Cert	Active	SHOP
-----------	---------------------	--	--------------------------------	-----------	-----------	------	------------	----------------	--------	------

Total Objects at this location 2

Location: **Wilton Corporation** **Location ID:** 703383
Address: 2929 Industrial Park Dr Ste C Finksburg, MD 21048-2331 **Phone:**
County: Carroll **NOB/SIC:**
Primary Contact: Wilton Corporation - Phone: 410-833-8500
Billing Contact: Wilton Corporation - PO Box 248 Finksburg, MD 21048-0248 - Phone: 410-833-8500
Cert Contact: Wilton Corporation - PO Box 248 Finksburg, MD 21048-0248 - Phone: 410-833-8500
Owner Contact: Wilton Corporation - PO Box 248 Finksburg, MD 21048-0248 - Phone: 410-833-8500
Other Contact(s): Maryland Automotive Equipment - 2929 Industrial Park Dr Ste C Finksburg, MD 21048-2331 - Phone: 3018338500
Wilton Corporation - PO Box 248 Finksburg, MD 21048-0248 - Phone: 410-833-8500

**My Company
Comments:**
**My Shared
Comments:**

Juris #	Owner #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146370V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000282175		Manchester	2012	05/24/2022	Recurring Cert	Active	Plant 2929

Total Objects at this location 1

Total Objects 298
Total Locations 180